South Dakota State University Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange

Extension Extra

SDSU Extension

4-3-2002



Bob Durland South Dakota State University

Follow this and additional works at: http://openprairie.sdstate.edu/extension extra

Recommended Citation

Durland, Bob, "Check Stored Grain" (2002). *Extension Extra*. Paper 3. http://openprairie.sdstate.edu/extension_extra/3

This Other is brought to you for free and open access by the SDSU Extension at Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange. It has been accepted for inclusion in Extension Extra by an authorized administrator of Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange. For more information, please contact michael.biondo@sdstate.edu.



COLLEGE OF AGRICULTURE & BIOLOGICAL SCIENCES / SOUTH DAKOTA STATE UNIVERSITY / USDA

CHECK STORED GRAIN

Bob Durland Extension Agricultural Engineer

Grain spoilage is evident in some grain being removed from storage in South Dakota. The best way to prevent, or control, the problem and maintain the quality of the stored grain is to never let the storage problems get ahead of you.

Grain in storage should be checked regularly, particularly in a year, when the average temperature is above normal. Insect activity and spoilage are most apt to occur when the grain temperature is about 80 degrees F. Checking the grain once every week is recommended and once every other week would be an absolute minimum during the summer.

To check the grain, climb into the bin. If the bin is peaked or filled to the roof, move, sell or feed enough so you can level it and safely get on the grain surface, then Durland advises:

- Check the bin roof and look for signs of moisture condensation or accumulation.
- Look for crusting, wet, sticky or frozen grain. Grasp a handful of grain from the surface and at arm depth in the grain and check for musty or moldy odors.
- Run the aeration fan and check the exhaust for odors.
- Poke a small-diameter stiff rod down the center and outward to the sides of the bin. Check for hard, compacted, or moist masses.
- Use a temperature probe to accurately check temperature varia-

tions and to locate potential "hot" spots.

- Grain should be cooled in the fall, and warmed in the spring, with the aeration system at night or other times when the temperature is below 70 degrees.
- Always run the fan continuously during a complete cooling cycle. Stopping midway through a cooling cycle guarantees a deposit of condensed moisture that will encourage spoilage. A complete cooling cycle is when all of the grain has been stabilized at the same temperature.
- Continue weekly grain inspections throughout the rest of the summer and fall.
- If there are signs of heating or hot spots in the grain, no matter what the season or the weather, run the fan continuously until no heating can be detected.
- Remember that if a problem is detected, it is better to sell the grain with a little spoilage, than to do nothing and lose the whole bin.
- For more information consult Extension Fact Sheet 774, Aeration of Grain in Storage, which is available in your County Extension Office or from the Agricultural Engineering Department at South Dakota State University.



This publication and others can be accessed electronically from the SDSU College of Agriculture & Biological Sciences publications page, which is at http://agbiopubs.sdstate.edu/articles/ExEx1003.pdf

Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the USDA. Larry Tidemann, Director of Extension, Associate Dean, College of Agriculture & Biological Sciences, South Dakota State University, Brookings. SDSU is an Affirmative Action/Equal Opportunity Employer (Male/Female) and offers all benefits, services, and educational and employment opportunities without regard for ancestry, age, race, citizenship, color, creed, religion, gender, disability, national origin, sexual preference, or Vietnam Era veteran status.

ExEx 1003- pdf by CES. August 1988; updated April 2002