

**South Dakota State University**

**Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange**

---

Technical Bulletins

SDSU Agricultural Experiment Station

---

1969

# Diseases of Grasses and Cereals in South Dakota

C. J. Mankin

Follow this and additional works at: [http://openprairie.sdstate.edu/agexperimentsta\\_tb](http://openprairie.sdstate.edu/agexperimentsta_tb)

---

## Recommended Citation

Mankin, C. J., "Diseases of Grasses and Cereals in South Dakota" (1969). *Technical Bulletins*. Paper 3.  
[http://openprairie.sdstate.edu/agexperimentsta\\_tb/3](http://openprairie.sdstate.edu/agexperimentsta_tb/3)

---

This Article is brought to you for free and open access by the SDSU Agricultural Experiment Station at Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange. It has been accepted for inclusion in Technical Bulletins by an authorized administrator of Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange. For more information, please contact [michael.biondo@sdstate.edu](mailto:michael.biondo@sdstate.edu).

Technical Bulletin 35  
June 1969

# Diseases of Grasses and Cereals in South Dakota

A Check List

Agricultural Experiment Station  
South Dakota State University  
Brookings

**Diseases  
of  
Grasses and Cereals  
in  
South Dakota  
(A Check List)**

By  
C. J. MANKIN  
Associate professor, Department of Plant Pathology  
Agricultural Experiment Station,  
South Dakota State University

**Technical Bulletin 35 • June 1969**

**Plant Pathology Department  
Agricultural Experiment Station  
South Dakota State University  
Brookings**

## **CONTENTS**

Part I — Host Index .....	3
Part II — Pathogen Index	
Fungus Diseases .....	19
Bacterial Diseases .....	26
Virus Diseases .....	26
Common Names .....	28

# Diseases of Grasses and Cereals in South Dakota (A Check List)

By  
**C. J. MANKIN**  
Associate professor, Department of Plant Pathology  
Agricultural Experiment Station,  
South Dakota State University

This host-pathogen and pathogen-host check list attempts to bring together all available and reliable reports of grass and cereal diseases found in South Dakota. This compilation lists collections and records of the Plant Pathology Department, mycological collections in the Botany Department's herbarium and South Dakota records that appear in the cited publications.


The hosts are arranged alphabetically, followed by a similar arrangement of the causal agents. Following the causal agent is the location within the State where the disease has been found or reported.

The list includes 650 diseases produced by 193 causal agents on 114 hosts. The distribution of these dis-

eases within the State is based on known reports, however, in many cases the diseases may be more widespread than indicated by the reports.

This index will aid in a more rapid identification of grass and cereal diseases by indicating what diseases are known to occur in South Dakota. It may also aid in clarifying some of the confusion that occurs in the pathology of grasses and cereals where these plants are attacked by the same fungus. A relatively complete list of grass diseases should be of use to grass breeders in the selection and breeding for disease resistance. County agents, vocational agriculture teachers, and students interested in identifying grass diseases should also find this list helpful.

# South Dakota



# Part I

## HOST INDEX

### **ACROPYRON CRISTATUM (L.) Gaertn., Crested Wheatgrass.**

*Claviceps purpurea* (Fr.) Tul., ergot, Brookings, common on this host.  
*Curvularia geniculata* (Tracy & Earle) Boed., leaf mold and secondary root rot.  
*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Brookings.  
*Gloeosporium bolleyi* Sprague, root necrosis, Brookings.  
*Helminthosporium sativum* Pam., King & Bakke, leaf spot and root rot, Brookings.  
*Puccinia montanensis* Ell., brown stripe rust, Hyde.  
*Pythium debaryanum* Hesse, root necrosis and seedling blight, Brookings.  
*Pythium graminicola* Subr., root browning and seedling blight, Brookings.  
*Rhizoctonia solani* Kuehn, secondary root rot, Brookings.  
*Sclerotinia macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Gregory, Charles Mix, Shannon, Pennington.  
*Septoria avenae* Frank f. sp. *triticea* T. Johnson, leaf blotch, Brookings.  
*Ustilago bullata* Berk., head smut, Pennington.

### **AGROPYRON DESERTORUM (Fisch.) Schult. Desert Wheatgrass.**

*Ascochyta sorghi* Sacc., leaf spot, Brookings.  
*Claviceps purpurea* (Fr.) Tul., ergot, Brookings.  
*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Brookings.  
*Gloeosporium bolleyi* Sprague, root necrosis, Brookings.  
*Helminthosporium sativum* Pam., King, & Bakke, leaf spot and root rot, Brookings.  
*Helminthosporium tritici-repentis* Died., leaf blight, Brookings.  
*Pyrenopeziza terrestris* (Hans.) Gorenz, J. C. Walker & Larson, pink root, Brookings.  
*Pythium debaryanum* Hesse, root necrosis and seedling blight, Brookings.  
*Pythium graminicola* Subr., root browning and seedling blight, Brookings.  
*Stagonospora arenaria* Sacc., leaf blotch, Brookings.

### **AGROPYRON INTERMEDIUM (Host.) Beauv., Intermediate Wheatgrass.**

*Claviceps purpurea* (Fr.) Tul., ergot, Brookings.  
*Fusarium acuminatum* (Ell. & Ev.), Wr., secondary root rot, Brookings.  
*Fusarium graminearum* Schwabe, scab and seedling blight, Brookings.  
*Helminthosporium sativum* Pam., King, & Bakke., leaf spot and root rot, Brookings.  
*Puccinia coronata* Cda., crown rust, Brookings.  
*Pythium debaryanum* Hesse, root necrosis and seedling blight, Brookings.  
*Pythium graminicola* Subr., root browning and seedling blight, Brookings.  
*Pythium irregularare* Buis., root necrosis and seedling blight, Brookings.  
*Pythium ultimum* Trow, root necrosis and seedling blight, Brookings.  
*Rhizoctonia solani* Kuehn, secondary root rot, Brookings.  
*Xanthomonas translucens* (J.J.R.) Dowson var. *cerealis* (Hagb.) Wallin, bacterial blight, Brookings.

### **AGROPYRON ORIENTALE (L.) Roem. & Schult.**

*Puccinia montanensis* Ell., brown stripe rust, Hyde, in experimental plots.

### **AGROPYRON PANORMITAMUM Parl., Wheatgrass.**

*Puccinia montanensis* Ell., brown stripe rust, Hyde, in experimental plots.

### **AGROPYRON REPENS (L.) Beauv., Quackgrass.**

*Agropyron mosaicum*, virus, Brookings.

*Claviceps purpurea* (Fr.) Tul., ergot, common on this host.

*Erysiphe graminis* DC., powdery mildew, Brookings.

*Fusarium acuminatum* (Ell. & Ev.) Wr. secondary root rot, Brookings.

*Gloeosporium bolleyi* Sprague, root necrosis, Brookings.

*Helminthosporium sativum* Pam., King, & Bakke, leaf spot and root rot, Brookings.

*Helminthosporium tritici-repentis* Died., leaf blight, Brookings.

*Phyllachora graminis* (Pers. ex Fr.) Fckl., tar spot, Brookings, common on this host.

*Pseudomonas coronafaciens* (Elliot) F. L. Stevens var. *atropurpurea* (Ready & Godkin) Stapp., chocolate spot, Brookings.

*Puccinia coronata* Cda., crown rust, Brookings.

*Puccinia graminis* Pers., stem rust, Brookings, Day.

*Puccinia montanensis* Ell., brown stripe rust, Hyde.

*Puccinia rubigo-vera* (DC.) Wint., leaf rust, Brookings.

*Pythium debaryanum* Hesse, root necrosis and seedling blight, Brookings.

*Pythium graminicola* Subr., root browning and seedling blight, Brookings.

*Rhizoctonia solani* Kuehn, secondary root rot, Brookings.

*Rhynchosporium secalis* (Oud.) J. J. Davis, scald, Brookings, Hyde.

*Sclerotiora macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Brookings, Kingsbury.

*Scolecostrichum graminis* Fckl., leaf streak, Brookings.

*Septoria agropyrina* Lobik, leaf blotch, Clay.

*Septoria avenae* Frank f. sp. *triticea* T. Johnson, leaf blotch, Brookings, Hyde.

*Septoria elymi* Ell. & Ev., leaf mottle, Brookings.

*Septoria nodorum* Berk., leaf blotch, Hyde.

*Urocystis agropyri* (Preuss) Schroet., flag smut, Brookings.

*Ustilago spegazzinii* Hirsch., stem smut, Brookings, Brown, Lincoln.

*Xanthomonas translucens* (J.J.R.) Dowson var. *cerealis* (Hagb.) Wallin, bacterial blight, Brookings.

### **AGROPYRON RIPARIUM Scribn. & Sm., Streambank Wheatgrass.**

*Claviceps purpurea* (Fr.) Tul., ergot, Hyde, in plots.

*Puccinia graminis* Pers., stem rust, Hyde, in plots.

*Puccinia montanensis* Ell., brown stripe rust, Hyde, in plots.

### **AGROPYRON SMITHII Rydb., Western Wheatgrass.**

*Claviceps purpurea* (Fr.) Tul., ergot, Hyde.

*Curvularia geniculata* (Tracy & Earle) Boed., leaf mold and secondary root rot, Brookings.

*Epichloe typhina* (Pers. ex Fr.) Tul., choke, Stanley.

*Erysiphe graminis* DC., powdery mildew, Brookings.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Jackson.

*Gloeosporium bolleyi* Sprague, root necrosis, Jackson.

*Helminthosporium sativum* Pam., King & Bakke, root rot, Jackson.

*Helminthosporium tritici-repentis* Died., leaf blight, Stanley.

*Pseudomonas coronafaciens* (Elliot) F. L. Stevens var. *atropurpurea* (Reddy & Godkin) Stapp., chocolate spot, Stanley.

*Puccinia graminis* Pers., stem rust, Brookings.

*Puccinia montanensis* Ell., brown stripe rust, Hyde.

*Puccinia rubigo-vera* (DC.) Wint., leaf rust, Brookings.

*Rhizoctonia solani* Kuehn, secondary root rot, Jackson.

*Sclerotiora macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Jackson.

*Scolecostrichum graminis* Fckl., leaf streak, Harding, Buffalo.

*Selenophoma donacis* (Pass.) Sprague & A. G. Johnson, selenophoma spot, Jackson, Lyman.

- Septoria agropyrina* Lobik, leaf blotch, Clay.  
*Septoria elymi* Ell. & Ev., leaf mottle, Stanley, Jackson.  
*Septoria nodorum* Berk., leaf blotch, Hyde.  
*Tilletia earlei* Griff., culm smut, Brown.  
*Urocystis agropyri* (Preuss) Schroet., flag smut, Butte.  
*Ustilago spegazzinii* Hirsch., stem smut, Jackson.  
*Ustilago spegazzinii* Hirsch. var. *agrestis* (Syd.) G. W. Fisch. & Hirsch., stem smut, Lyman.  
*Xanthomonas translucens* (J.J.R.) Dowson var. *cerealis* (Hagb.) Wallin, bacterial blight, Brookings.
- AGROPYRON TRACHYCAULUM** (Link) Malte, Slender Wheatgrass.
- Claviceps purpurea* (Fr.) Tul., ergot, Brookings, Jerauld.  
*Curicularia geniculata* (Tracy & Earle) Boed., leaf mold, secondary root rot, Jerauld.  
*Erysiphe graminis* DC., powdery mildew, Brookings.  
*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Brookings.  
*Gloeosporium bolleyi* Sprague, root necrosis, Brookings.  
*Helminthosporium sativum* Pam., King & Bakke, leaf spot and root rot, Brookings.  
*Pseudomonas coronafaciens* (Elliot) F. L. Stevens var. *atropurpurea* (Reddy & Godkin) Stapp., chocolate spot, Brookings.  
*Puccinia coronata* Cda., crown rust, Brookings.  
*Puccinia graminis* Pers., stem rust, Brookings, Jerauld, Jackson, Kingsbury, Pennington.  
*Puccinia montanensis* Ell., brown stripe rust, Hyde.  
*Puccinia rubigo-vera* (DC.) Wint., leaf rust, Hyde.  
*Rhizoctonia solani* Kuehn, secondary root rot, Brookings.  
*Sclerophthora macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Jackson, Turner.  
*Scolecotrichum graminis* Fckl., leaf streak, Brookings.  
*Septoria agropyrina* Lobik, blotch and leaf spot, Hyde.  
*Septoria elymi* Ell. & Ev., leaf mottle, Marshall.  
*Ustilago bullata* Berk., head smut, Brookings.  
*Ustilago striiformis* (West.) Niessl, stripe smut, Brookings.
- AGROPYRON TRICHOPHORUM** (Lk.) Richt., Stiffhair Wheatgrass.
- Puccinia coronata* Cda., rust, Hyde, Brookings, in experimental plots.  
*Puccinia graminis* Pers., rust, Hyde, in experimental plots.  
*Puccinia montanensis* Ell., brown stripe rust, Hyde, in experimental plots.  
*Puccinia rubigo-vera* (DC.) Wint., leaf rust, Hyde, in experimental plots.
- AGROPYRON x TRITICUM**, Hybrid.
- Puccinia graminis* Pers., stem rust, Brookings, in experimental plots.  
*Septoria nodorum* Berk., blotch, Brookings, in experimental plots.
- AGROSTIS ALBA** L., Redtop.
- Puccinia graminis* Pers., stem rust, Brookings.  
*Scolecotrichum graminis* Fckl., leaf streak, Brookings.
- AGROSTIS SCABRA** Willd., Tickleglass.
- Scolecotrichum graminis* Fckl., leaf streak, Ziebach.  
*Selenophoma donacis* (Pass.) Sprague & A. G. Johnson, eye spot, Ziebach.  
*Selenophoma everhartii* (Sacc & Syd.) Sprague and A. G. Johnson, selenophoma stem speckle, Buffalo.
- ALOPECURUS AEQUALIS** Sobol., Shortawn Foxtail.
- Scolecotrichum graminis* Fckl., leaf streak, Pennington.
- ALOPECURUS PRATENSIS** L., Meadow Foxtail.
- Claviceps purpurea* (Fr.) Tul., ergot, Brookings, in experimental plots.  
*Puccinia graminis* Pers., stem rust, Brookings.
- ANDROPOGON GERARDI** Vitm., Big Bluestem.
- Ascochyta brachypodii* (Syd.) Sprague and A. G. Johnson, leaf spot, Gregory.  
*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Brookings.  
*Phyllachora luetoo-maculata* (Schw.) Orton, tar spot, Brookings, Grant, Moody, Roberts.

*Puccinia andropogonis* Schw., rust, Brookings, Campbell, Minnehaha.  
*Puccinia ellisiana* Thuem., rust, Brookings.

*Puccinia tripsaci* Diet. & Holw., rust, Brookings.

*Pythium debaryanum* Hesse, seedling blight, Brookings.

*Septoria andropogonis* J. J. Davis, leaf spot, Brookings, Deuel, Custer, Kingsbury, Moody.

*Sphacelotheca andropogonis* (Opiz) Bub., smut, Spink.

*Sphacelotheca occidentalis* (Seym.) Clint, smut, Brookings.

*Stagonospora simplicior* Sacc. & Berl., leaf blotch, Brookings.

#### ANDROPOGON SCOPARIUS Michx., Little Blue Stem.

*Colletotrichum graminicola* (Ces.) G. W. Wils., anthracnose, Roberts.

*Puccinia andropogonis* Schw., rust, Fall River, Yankton.

*Puccinia ellisiana* Thuem., rust, Fall River.

*Pythium debaryanum* Hesse, root necrosis, Brookings.

*Rhizoctonia oryzae* Ryker, root necrosis, Custer.

*Selenophoma donacis* (Pass.) Sprague & A. G. Johnson, selenophoma spot, Moody.

*Septoria andropogonis* J. J. Davis, leaf spot, Brookings.

*Sorosporium ellisi* Wint., smut, Spink.

*Stagonospora arenaria* Sacc., leaf blotch, Brookings.

#### ARISTIDA BASIRAMEA Engelm., Annual Three-awn.

*Sorosporium consanguineum* Ell. & Ev., smut, Custer.

#### ARRHENATHERUM ELATIUS (L.) Presl. Tall Oatgrass.

*Ustilago avenae* (Pers.) Rostr., loose smut, Brookings.

#### AVENA FATUA L., Wild Oats.

*Helminthosporium sativum* Pam., King & Bakke, leaf spot and secondary root rot, Jerauld.

*Puccinia coronata* Cda., crown rust, Codington, Spink, Jerauld.

*Puccinia graminis* Pers., stem rust, Codington, Brookings.

*Sclerophthora macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Jerauld.

#### AVENA SATIVA L., Common Oats.

Barley yellow dwarf, virus, Brookings.

*Claviceps purpurea* (Fr.) Tul., ergot, Hyde.

*Colletotrichum graminicola* (Ces.) G. W. Wils., anthracnose, Brookings.

*Fusarium oxysporum* (Schlect.) emend, Synd. & Hans., seed rot, Brookings.

*Fusarium poae* (Pk.) Wr., root rot, Campbell.

*Helminthosporium avenae* Eidam, leaf spot, Brown.

*Helminthosporium sativum* Pam., King & Bakke, root rot, Brookings.

*Helminthosporium victoriae* Meehan & Murphy, blight, Brookings.

*Pseudomonas coronafaciens* (Elliott) F. L. Stevens, halo blight, Brookings.

*Pseudomonas striafaciens* (Elliott) Starr & Burkhl., bacterial stripe, Brookings.

*Puccinia coronata* Cda., crown rust, Brookings, Spink, Pennington.

*Puccinia graminis* Pers., stem rust, Brookings, Butte.

*Pyrenopeziza terrestris* (Hans.) Gorenz, J. C. Walker, Larson, pink root, Brookings.

*Pythium debaryanum* Hesse, seedling blight and root necrosis, Brookings.

*Pythium graminicola* Subr., seedling blight, Brookings.

*Rhizoctonia solani* Kuehn, root rot, Brookings.

*Sclerophthora macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Brookings, Jerauld.

*Selenophoma donacis* (Pass.) Sprague & A. G. Johnson, leaf spot, Brown.

*Ustilago avenae* (Pers.) Rostr., loose smut, Brookings, Spink.

*Ustilago hordei* (Pers.) Lagh., covered smut, Brookings, Spink, Butte.

#### BECKMANNIA SYZIGACHEA (Steud.) Fern., American Sloughgrass.

*Erysiphe graminis* DC., powdery mildew, Brookings, Butte.

*Puccinia coronata* Cda., crown rust, Brookings, Spink.

*Scolecocephalum graminis* Fckl., leaf streak, general in western part of state.

#### BOUTELOUA CURTIPENDULA (Michx.) Torr., Side-oats Grama.

*Ascochyta graminea* (Sacc.) Sprague & A. G. Johnson, leaf spot, Brookings.

*Cercospora boutelouae* Chupp & H. C. Greene, narrow spot, Brookings.

- Curvularia geniculata* (Tracy & Earle) Boed., leaf mold, Beadle.  
*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Brookings.  
*Fusarium oxysporum* (Schlecht.) emend. Snyder & Hans., secondary root rot, Brookings.  
*Fusarium poae* (Pk.) Wr., secondary root rot, Brookings.  
*Helminthosporium buchloes* Lefebvre & A. G. Johnson, leaf mold, Brookings.  
*Phyllachora boutelouae* Rhem., tar spot, Brookings, Roberts.  
*Puccinia bartholomaei* Diet., rust, Hand.  
*Puccinia vexans* Farl., rust, Brookings, Deuel, Jones, Lawrence, McPherson.  
*Septoria andropogonis* J. J. Davis, leaf spot, Tripp.

#### BOUTELOUA GRACILIS (H.B.K.) Lag., Blue Grama.

- Ascochyta graminea* (Sacc.) Sprague and A. G. Johnson, leaf spot, Custer.  
*Cercospora boutelouae* Chupp & H. C. Greene, narrow spot, Kingsbury.  
*Curvularia geniculata* (Tracy & Earle) Boed., leaf mold, Brookings.  
*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Harding, Buffalo.  
*Fusarium oxysporum* (Schl.) emend. Snyd. & Hans., secondary root rot, Corson.  
*Fusarium poae* (Pk.) Wr., secondary root rot, Corson.  
*Gloeosporium bolleyi* Sprague, root necrosis, Corson.  
*Helminthosporium buchloes* Lefebvre & A. G. Johnson, leaf mold, Beadle.  
*Helminthosporium sativum* Pam., King & Bakke, root rot, Brookings.  
*Phyllachora boutelouae* Rehm., tar spot, Brookings, Hand.  
*Puccinia bartholomaei* Diet., rust, Corson.  
*Puccinia vexans* Farl., rust, Hyde, Fall River.  
*Pyrenopeziza terrestris* (Hans.) Corenz., J. C. Walker & Larson, pink root, Corson.  
*Pythium debaryanum* Hesse, seedling blight and root necrosis, Corson, Walker.  
*Pythium irregularare* Buis., root necrosis, Corson.  
*Rhizoctonia solani* Kuehn, secondary root rot, Harding.

#### BOUTELOUA SIMPLEX Lag., Mat Grama.

- Ustilago neglecta* Niessl., smut, Fall River.

#### BROMUS COMMUTATUS Schrad., Hairy Chess.

- Ustilago bullata* Berk., head smut, Brookings, in experimental plots.

#### BROMUS ERECTUS Huds., Erect Brome.

- Ustilago bullata* Berk., head smut, Brookings, in experimental plots.

#### BROMUS INERMIS Leyss., Smooth Brome.

- Brome mosaic, virus, Brookings.

- Claviceps purpurea*, (Fr.) Tul., ergot, Brookings, general.

- Curvularia geniculata* (Tracy & Earle) Boed., leaf mold and secondary root rot, Brookings.

- Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Brookings.

- Fusarium poae* (Pk.) Wr., secondary root rot, Brookings.

- Gloeosporium bolleyi* Sprague, secondary root rot, Brookings.

- Helminthosporium sativum* Pam., King & Bakke, root rot, Brookings.

- Ovularia pusilla* (Ung.) Sacc. & D. Sacc., round eye spot, Brookings.

- Pseudomonas coronafaciens* (Elliott) F. L. Stevens, var. *atropurpurea* (Reddy & Godkin) Stapp., chocolate spot, Brookings.

- Pyrenopeziza terrestris* (Hans.) Corenz., J. C. Walker & Larson, pink root, Brookings.

- Pyrenophora bromi* Drechs. (*Helminthosporium bromi* Died.) leaf blight, Brookings, general.

- Pythium debaryanum* Hesse, seedling blight and root necrosis, Brookings.

- Pythium gramincola* Subr., seedling blight and root browning, Brookings.

- Rhizoctonia solani* Kuehn, secondary root rot, Brookings.

- Rhynchosporium secalis* (Oud.) J. J. Davis, scald, Brookings, Hyde.

- Sclerotinia macropora* (Sacc.) Thirum. Shaw & Naras, downy mildew, Brookings, widespread in certain types of sites.

- Selenophoma bromigena* (Sacc.) Sprague & A. G. Johnson, selenophoma spot, Brookings, Brown, Codington, Tripp, general widespread in state.

- Stagonospora bromi* A. L. Sm. & Ramsb., leaf spot, Brookings.

*Ustilago striiformis* (West.) Niessl., stripe smut, Brookings.

*Xanthomonas translucens* (J.J.R.) Dowson var. *cerealis* (Hagb.) Wallin, bacterial streak, Brookings, widespread during favorable years.

**BROMUS JAPONICUS** Thunb., Japanese Cheat.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Jackson.

*Gloeosporium bolleyi* Sprague, secondary root rot, Jackson.

*Helminthosporium bromi* Died., leaf mold, Stanley.

*Pythium gramincola* Subr., seedling blight and root browning, Jackson.

*Rhizoctonia solani* Kuehn, secondary root rot, Jackson.

*Sclerotthora macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Jackson.

*Selenophoma bromigena* Sprague & A. G. Johnson, selenophoma leaf spot, Meade.

*Ustilago bullata* Berk., head smut, Jackson, Jerauld, Meade, Roberts, Stanley, very common where this host occurs.

**BROMUS TECTORUM** L., Downy Cheat.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Harding.

*Fusarium graminearum* Schwabe, root rot, Beadle.

*Fusarium oxysporum* (Schl.) emend. Snyd. & Hans., leaf mold, Lincoln.

*Helminthosporium sativum* Pam., King & Bakke, root rot, Butte.

*Pythium graminicola* Subr., seedling blight, Brookings, not common on this host in South Dakota.

*Rhizoctonia solani* Kuehn, secondary root rot, Brookings.

*Ustilago bullata* Berk., head smut, Tripp, very common wherever this host occurs.

**BUCHLOE DACTYLOIDES** (Nutt.) Engelm., Buffalo Grass.

*Ascochyta graminea* (Sacc.) Sprague and A. G. Johnson, leaf spot, Beadle, Harding.

*Ascochyta sorghi* Sacc., leaf spot, Brookings.

*Cercospora seminalis* Ell. & Ev., false smut, Beadle, Lyman, Spink, Potter.

*Helminthosporium buchloes* Lefebvre & A. G. Johnson, leaf mold, Beadle, Brookings, Hand.

**CALAMAGROSTIS CANADENSIS** (Michx.) Beauv., Blue Joint.

*Claviceps purpurea* (Fr.) Tul., ergot, Brookings.

*Rhynchosporium orthosporum* Caldwell, scald, Lawrence.

*Scolecotrichum graminis* Fckl., leaf streak, Lawrence.

**CALAMAGROSTIS EPICEIOS** (L.) Roth, Reedgrass.

*Phyllachora graminis* (Pers. ex Fr.) Fckl., tar spot, Brookings.

**CALAMAGROSTIS INEXPANSA** A. Gray, Northern Reedgrass.

*Claviceps purpurea* (Fr.) Tul., ergot, Codington, Brookings.

*Colletotrichum graminicola* (Ces.) Wils., anthracnose, Deuel.

**CALAMAGROSTIS NEGLECTA** (Ehrh.) Gaertn., Mey., & Schreb.

*Colletotrichum graminicola* (Ces.) Wils., anthracnose, Brookings.

*Phyllachora graminis* (Pers. ex Fr.) Fckl., tar spot, Brookings.

*Septoria avenae* Frank, leaf spot, Brookings.

*Septoria calamagrostidis* (Lib.) Sacc., leaf spot, Brookings.

**CALAMOVILFA LONGIFOLIA** (Hook.) Scrib. & Mey., Prairie Sandreed.

*Hendersonia calamovilfae* Petr., leaf mold, Ziebach.

*Puccinia amphigena* Diet., rust, Bennett, Fall River, Custer, Brookings.

*Septoria calamovilfae* Petr., leaf spot, Brookings, Meade.

**CATABROSA AQUATICA** (L.) Beauv., Brookgrass.

*Erysiphe graminis* DC., powdery mildew, Lawrence.

*Puccinia poa-sudeticae* (West.) Jorst., leaf rust, Lawrence.

**CENCHRUS PAUCIFLORUS** Benth., Field Sandbur.

*Sorosporium cenchri* Henn., smut, Union.

**CINNA ARUNDINACEA** L., Stout Woodreed.

*Puccinia graminis* Pers., stem rust, Brookings.

**DACTYLIS GLOMERATA** L., Orchard Grass.

*Helminthosporium sativum* Pam., King & Bakke, root rot, Brookings.

*Puccinia graminis* Pers., stem rust, Brookings.

*Pythium debaryanum* Hesse, root necrosis, Brookings.

*Pythium graminicola* Subr., root browning, Brookings.

*Scolecotrichum graminis* Fckl., leaf streak, Brookings.

**DIGITARIA ISCHAEMUM** (Schreb.) Muhl., Smooth Crabgrass.

*Sclerophthora macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Brookings, Clay.

*Ustilago syntherismae* (Schwein.) Peck, smut, Clay.

**DIGITARIA SANGUINALIS** (L.) Scop., Hairy Crabgrass.

*Sclerophthora macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Brookings.

*Ustilago syntherismae* (Schwein.) Peck, smut, Clay.

**DISTICHLIS STRICTA** (Torr.) Rydb., Desert Saltgrass.

*Phyllachora diplocarpa* Ell. & Ev., tar spot, Beadle, Hutchinson, Marshall.

*Puccinia aristidae* Tracy, rust, Beadle, Stanley.

**ECHINOCHLOA CRUSGALLI** (L.) Beauv., Barnyard Grass.

*Cercospora sorghi* Ell. & Ev., leaf streak, Brookings.

*Colletotrichum graminicola* (Ces.) G. W. Wils., anthracnose, Brookings.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Lawrence.

*Fusarium culmorum* (W. G. Sm.) Sacc., root rot, Butte.

*Fusarium graminearum* Schwabe, root rot, Butte.

*Phytophthora cactorum* (Leb. & Cohn.) Schroet., seedling rot, Butte.

*Pythium graminicola* Subr., root browning, Butte.

*Tolyposporium bullatum* Schroet., smut, Spink.

*Ustilago crus-galli* Tracy & Earle, node smut, Brookings.

**ELYMUS CANADENSIS** L., Canada Wild-rye.

*Claviceps purpurea* (Fr.) Tul., ergot, Brookings.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Lawrence.

*Gloeosporium bolleyi* Sprague, root necrosis, Lawrence.

*Helminthosporium sativum* Pam., King & Bakke, root rot, Pennington.

*Phyllachora graminis* (Pers. ex Fr.) Fckl., tar spot, Brookings.

*Pseudomonas coronafaciens* (Elliott) F. L. Stevens var. *atropurpurea* (Reddy & Godkin) Stapp, chocolate spot, Brookings.

*Puccinia graminis* Pers., stem rust, Brookings, general.

*Puccinia montanensis* Ell. brown stripe rust, Campbell.

*Puccinia rubigo-vera* (DC.) Wint., leaf rust, Brookings.

*Pythium debaryanum* Hesse, root necrosis, Butte.

*Rhizoctonia solani* Kuehn, secondary root rot, Butte.

*Scolecotrichum graminis* Fckl., leaf streak, Brookings, common on this host.

*Septoria agropyrina* Lobik, leaf spot, Brookings.

*Septoria elymi* Ell. & Ev., leaf mottle, Butte, Brookings.

*Urocystis agropyri* (Preuss) Schroet., flag smut, Butte.

*Ustilago macrospora* Desm., large spored stripe smut, Spink.

*Ustilago striiformis* (West.) Niessl., stripe smut, Spink.

**ELYMUS INNOVATUS** Beal, Wild Rye.

*Puccinia coronata* Cda., crown rust, Pennington.

*Rhynchosporium secalis* (Oud.) J. J. Davis, scald, Pennington.

**ELYMUS JUNCEUS** Fisch., Russian Wildrye.

*Helminthosporium sativum* Pam., King & Bakke, root rot, Spink.

*Puccinia graminis* Pers., stem rust, Spink.

*Pythium graminicola* Subr., seedling blight and root browning, Spink.

*Rhizoctonia solani* Kuehn, secondary root rot, Spink.

**ELYMUS MACOUNII** Vasey, Macoun Wildrye.

*Claviceps purpurea* (Fr.) Tul., ergot, Kingsbury.

*Phyllachora graminis* (Pers. ex Fr.) Fckl., tarspot, Kingsbury.

*Puccinia graminis* Pers., stem rust, Jerauld, Lyman.

*Septoria agropyrina* Lobik, leaf blotch, Kingsbury, Jerauld.

*Ustilago striiformis* (West.) Niessl., stripe smut, Jerauld, Spink.

**ELYMUS VIRGINICUS** L., Virginia Wildrye.

*Claviceps purpurea* (Fr.) Tul., ergot, Brookings.

*Epichloe typhina* (Pers. ex Fr.) Tul., choke, Brown.

*Phyllachora graminis* (Pers. ex Fr.) Fckl., tar spot, Brookings.

*Puccinia graminis* Pers., stem rust, Brookings.

*Puccinia montanensis* Ell., brown stripe rust, Hyde, in experimental plots.  
*Puccinia rubigo-vera* (DC.) Wint., leaf rust, Hyde, in experimental plots.  
*Ustilago spiegazzinii* Hirsch. var. *agrestis* (Syd.) G. W. Fisch. & Hirsch., stem smut, Brookings.

**ERAGROSTIS CILIANENSIS** (All.) Lk., Stinkgrass.

*Sclerophthora macrospora* (Sacc.) Thirum. Shaw & Naras, downy mildew, Bennett, Brookings.

**ERAGROSTIS PECTINACEA** (Michx.) Nees.

*Sclerophthora macrospora* (Sacc.) Thirum. Shaw & Naras, downy mildew, Bennett, Brookings.

**ERAGROSTIS REPTANS** (Michx.) Nees.

*Ustilago spermophora* Berk. & Curt., smut, Meade.

**FESTUCA OCTOFLORA** Walt., Sixweeks Fescue.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Meade.

*Gloeosporium bolleyi* Sprague, root necrosis, Meade.

*Puccinia graminis* Pers., stem rust, Stanley.

*Rhizoctonia solani* Kuehn, secondary root rot, Harding.

*Selenophoma everhartii* (Sacc. & Syd) Sprague & A. G. Johnson, speckle, Harding.  
*Septoria tenella* Cke. & Ell., leaf spot, Harding,

**FESTUCA OVINA** L., Sheep Fescue.

*Colletotrichum graminicola* (Ces.) G. W. Wils., anthracnose, Brookings.

*Selenophoma donacis* (Pass.) Sprague & A. G. Johnson var *stomaticola* (Baeumler.) Sprague & A. G. Johnson, stem speckle, Pennington.

**FESTUCA RUBRA** L., Red Fescue.

*Claviceps purpurea* (Fr.) Tul., ergot, Brookings.

*Scolecothrichum graminis* Fckl., leaf streak, Brookings, general.

*Septoria tenella* Cke. & Ell., tan leaf spot, Brookings.

**GLYCERIA FLUITANS** (L.) R. Br., Mannagrass.

*Ustilago davisii* Liro, smut, Brown.

**GLYCERIA GRANDIS** S. Wats., American Mannagrass.

*Colletotrichum graminicola* (Ces.) G. W. Wils., anthracnose, Kingsbury.

*Puccinia rubigo-vera* (DC.) Wint., leaf rust, Kingsbury.

*Scolecothrichum graminis* Fckl., leaf streak, Brookings.

*Ustilago longissima* (Sow. ex Schlecht.) Meyen, smut, Brookings.

**HIEROCHOLOE ODORATA** (L.) Beauv., Sweetgrass.

*Ascochyta sorghi* Sacc., leaf spot, Pennington.

**HORDEUM JUBATUM** L., Foxtail Barley.

*Ascochyta sorghi* Sacc., brown leafspot, Brookings.

*Curvularia geniculata* (Tracy & Earle) Boed., head mold, Spink.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Brown.

*Gloeosporium bolleyi* Sprague, root necrosis, Brown.

*Helminthosporium sativum* Pam., King & Bakke, root rot, Hughes.

*Helminthosporium tritici-repentis* Died., leaf spot, Brookings.

*Puccinia graminis* Pers., stem rust, Brookings.

*Puccinia rubigo-vera* (DC.) Wint., leaf rust, Hughes.

*Puccinia striiformis* West., stripe rust, Hughes.

*Pythium debaryanum* Hesse, root necrosis, Brown.

*Pythium graminicola* Subr., root browning, Brown, Spink.

*Rhizoctonia solani* Kuehn, secondary root rot, Brown.

*Scolecothrichum graminis* Fckl., leaf streak, Clark, Pennington.

*Selerophthora macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Brookings.

*Septoria passerinii* Sacc., leaf blotch, Brookings.

*Urocystis agropyri* (Preuss) Schroet., flag smut, Spink.

*Ustilago bullata* Berk., head smut, Roberts.

*Ustilago striiformis* (West.) Niessl., stripe smut, Spink.

**HORDEUM PUSILLUM** Nutt., Little Barley.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Brown.

*Gloeosporium bolleyi*, Sprague, root necrosis, Brown.

- Puccinia graminis* Pers., stem rust, Brookings.  
*Rhizoctonia solani* Kuehn, secondary root rot, Spink.  
*Scolecotrichum graminis* Fckl., leaf streak, Brule.
- HORDEUM VULGARE L., Common Six-row Barley.**
- Barley stripe mosaic, virus, Brookings.  
 Barley yellow dwarf, virus, Brookings.  
*Claviceps purpurea* (Fr.) Tul., ergot, Brookings.  
*Erysiphe graminis* DC., powdery mildew, Brookings.  
*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Brookings.  
*Fusarium culmorum* (W.G. Sm.) Sacc., root rot, Brookings.  
*Fusarium graminearum* Schwabe, scab, Brookings.  
*Helminthosporium gramineum* Rabh., stripe, Stanley.  
*Helminthosporium sativum* Pam., King & Bakke, spot blotch, root rot, Brookings, widespread and common.  
*Helminthosporium teres* Sacc., net blotch, Hyde.  
*Puccinia graminis* Pers., stem rust, Brookings.  
*Puccinia hordei* Otth., leaf rust, Brookings.  
*Puccinia rubigo-vera* (DC.) Wint., leaf rust, Brookings.  
*Puccinia striiformis* West., stripe rust, Hyde, in experimental plots.  
*Pythium debaryanum* Hesse, root necrosis, seedling blight, Brookings.  
*Pythium graminicola* Subr., root browning, Brookings.  
*Rhizoctonia solani* Kuehn, secondary root rot, Brookings.  
*Rhynchosporium secalis* (Oud.) J. J. Davis, scald, Brookings, Hyde, Kingsbury.  
*Sclerotiora macrospora* (Sacc.) Thirum. Shaw & Naras, downy mildew, Brookings, Brown, Lake.  
*Septoria passerinii* Sacc., leaf blotch, Brookings, Hyde.  
*Ustilago avenae* (Pers.) Rostr., black loose smut, Brookings.  
*Ustilago hordei* (Pers.) Lagerh., covered smut, Stanley.  
*Ustilago nuda* (Jens.) Rostr., loose smut, Brookings, Codington, general.  
*Xanthomonas translucens* (J.J.R.) Dowson var. *cerealis* (Hgb.) Wallin, bacterial leaf blight, Brookings.
- HYSTRIX PATULA Moench., Bottle Brush.**
- Phyllachora graminis* (Pers. ex Fr.) Fckl., tar spot, Roberts.
- KOELERIA CRISTATA (L.) Pers., Junegrass.**
- Epichloe typhina* (Pers. ex Fr.) Tul., choke, Brown, Brookings.  
*Helminthosporium avenae* Eidam, leaf blotch, Harding.  
*Puccinia graminis* Pers., stem rust, Brookings.  
*Puccinia koeleriae* Arth., rust, Brookings.  
*Puccinia latridis* (Webber) Bethel, rust, Spink.  
*Selenophoma donacis* (Pass.) Sprague & A. G. Johnson var. *stomaticola*, (Baeumler), Sprague & A. G. Johnson, selenophoma spot, Harding, Pennington, Ziebach.
- LEERSIA ORYZOIDES (L.) Swartz, Rice Cutgrass.**
- Uromyces halstedii* Det., rust, Beadle.
- MUHLENBERGIA ASPERFOLIA (Nees & Mey.) Parodi., Scratchgrass.**
- Phyllachora vulgata* Th. & Syd., Tar Spot, Union.  
*Puccinia schedonnardi* Kell. & Swing., rust, Tripp.  
*Sclerotiora macrospora* (Sacc.) Thirum. Shaw & Naras, downy mildew, Turner.
- MUHLENBERGIA CUSPIDATA (Torr.) Rydb., Plains Muhly.**
- Phyllachora vulgata* Th. & Syd., tar spot, Brookings.  
*Puccinia schedonnardi* Kell. & Swing., rust, Brookings.
- MUHLENBERGIA MEXICANA (L.) Trin., Wirestem Muhly.**
- Phyllachora vulgata* Th. & Syd., tar spot, Brookings.
- MUHLENBERGIA RACEMOSA (Michx.) B.S., Marsh Muhly.**
- Phyllachora vulgata* Th. & Syd., tar spot, Brookings, Roberts.  
*Puccinia schedonnardi* Kell. & Swing., rust, Brookings.  
*Pythium graminicola* Subr., seedling blight and root rot, Grant.  
*Rhizoctonia solani* Kuehn., secondary root rot, Grant.  
*Scolectrichum graminis* Fckl., leaf streak, Hamlin.

**ORYZOPSIS ASPERFOLIA** Michx., Woodland Ricegrass.

*Hendersonia culmicola* Sacc., white spot, Lawrence.

*Phyllachora oryzopsisidis* (Rehm) Th. & Syd., tar spot, Lawrence.

*Puccinia pygmaea* Eriks., rust, Lawrence.

**ORYZOPSIS HYMENOIDES** (Roem. & Schult.) Rick., Indian Ricegrass.

*Curvularia geniculata* (Tracy & Earle) Boed., leaf mold, Perkins.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Harding.

*Helminthosporium sativum* Pam., King & Bakke., secondary root rot, Harding.

*Pyrenopeziza terrestris* (Hans.) Gorenz, J. C. Walker & Larson, pink root, Perkins.

*Pythium debaryanum*, Hesse, root necrosis, Perkins.

*Rhizoctonia solani* Kuehn, secondary root rot, Perkins.

*Selenophoma donacis* (Pass.) Sprague & A. G. Johnson, selenophoma speckle, Hard-  
ing.

**ORYZOPSIS MICRANTHA** (Trin. & Rupr.) Thurb., Littleseed Ricegrass.

*Puccinia micrantha* Griff., rust, Potter.

**PANICUM CAPILLARE** L., Witchgrass.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Brookings.

*Helminthosporium sativum* Pam., King & Bakke, secondary root rot, Brookings.

*Puccinia emaculata* Schw., rust, Brookings.

*Sclerotinia macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Brook-  
ings, widespread in favorable sites.

*Sorosporium cenchri*, Henn., smut., Brookings.

**PANICUM MILIACEUM** L., Proso Millet.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Brookings.

*Fusarium oxysporum* (Schlecht.) emend. Synd. & Hans., secondary root rot, Perkins.

*Gloeosporium bolleyi* Sprague, root necrosis, Perkins.

*Pseudomonas panici* (Elliot) Dowson, leaf blight, Brookings.

*Pseudomonas syringae* v. Hall, bacterial eye spot, Brookings.

*Pyrenopeziza terrestris* (Hans.) Gorenz, J. C. Walker, & Larson, pink root, Brookings.

*Pythium debaryanum* Hesse, seedling blight, root necrosis, Brookings.

*Pythium graminicola* Subr., seedling blight, Perkins.

*Sclerotinia macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Brookings.

*Sclerospora graminicola* (Sacc.) Schroet., downy mildew, Brookings.

*Sphacelotheca destruens* (Schlecht.) Stevenson & A. G. Johnson, head smut, Brook-  
ings.

**PANICUM VIRGATUM** L., Switchgrass.

*Colletotrichum graminicola* (Ces.) G. W. Wils., anthracnose, Brookings.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Perkins.

*Phyllachora graminis* (Pers. ex. Fr.) Fckl., tar spot, Deuel.

*Puccinia panici* Diet., rust, Brookings, Minnehaha.

*Rhizoctonia solani* Kuehn, secondary root rot, Perkins.

*Sclerotinia macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Jackson.

*Selenophoma donacis* (Pass.) Sprague & A. G. Johnson, selenophoma eyespot, Brook-  
ings.

*Uromyces graminicola* Burr., rust, Moody.

**PHALARIS ARUNDINACEA** L., Reed Canary Grass.

*Claviceps purpurea* (Fr.) Tul., ergot, Brookings, Minnehaha.

*Ovularia hordei* (Cav.) Sprague, tan streak, Lawrence.

*Puccinia sessilis* Schneid., rust, Brookings.

*Rhizoctonia solani* Kuehn, secondary root rot, Pennington.

*Rhynchosporium secalis* (Oud.) J. J. Davis, scald, Pennington.

*Sclerotinia macrospora* (Sacc.) Thirum. Shaw & Naras, downy mildew, Brookings,  
Turner.

*Selenophoma donacis* (Pass.) Sprague & A. G. Johnson, selenophoma spot, Clark.

*Stagonospora foliicola* (Brcs.) Bub., purple leaf blotch, Brookings.

*Ustilago macrospora* Desm., large spored stripe smut, Spink.

**PHLEUM PRATENSE L., Timothy.**

*Claviceps purpurea* (Fr.) Tul., ergot, Brookings.

*Puccinia graminis* Pers., stem rust, Codington, Brookings.

*Sclerophthora macrospora* Thirum., Shaw & Naras, downy mildew, Brookings, Kingsbury.

*Scolecotrichum graminis* Fckl., leaf streak, Pennington.

**PHRAGMITES COMMUNIS Trin., Common Reed.**

*Napicladium arundinaceum* (Cda.) Sacc., black leaf mold, Spink.

*Puccinia magnusiana* Koern, rust, Brookings.

*Scolecotrichum maculicola* Ell. & Kell., eyespot, Brookings, Grant.

*Selenophoma donacis* (Pass.) Sprague & A. G. Johnson, leaf spot, Moody.

**POA ALSODES A., Gray, Bluegrass.**

*Erysiphe graminis* DC., powdery mildew, Lawrence.

**POA ARIDA Vasey, Plains Bluegrass.**

*Septoria macropoda* Pass., var. *grandis* Sprague, leaf spot, Meade.

**POA CANBYI (Scribn.) Piper, Canbyi Bluegrass.**

*Colletotrichum graminicola* (Ces.) G. W. Wils., anthracnose, Butte.

*Erysiphe graminis* DC., powdery mildew, Butte.

*Hendersonia crastophila* Sacc., mold, Butte.

*Scolecotrichum graminis* Fckl., leaf streak, Butte.

*Septoria macropoda* Pass. var. *grandis* Sprague, leaf spot, Butte.

**POA COMPRESSA L., Canada Bluegrass.**

*Curcularia geniculata* (Tracy & Earle) Boed., leaf mold, Brown.

*Scolecotrichum graminis* Fckl., leaf streak, Brown.

*Septoria macropoda* Pass. var. *septulata* (Ganz. Frag.) Sprague, leafspot, Brown.

**POA INTERIOR Rydb., Inland Bluegrass.**

*Erysiphe graminis* DC., powdery mildew, Pennington.

*Puccinia poae-sudeticae* (West.) Jorst., leaf rust, Pennington.

**POA PALUSTRIS L., Fowl Bluegrass.**

*Claviceps purpurea* (Tul.) Fr., ergot, Lawrence.

*Colletotrichum graminicola* (Ces.) Wils., anthracnose, Pennington.

*Erysiphe graminis* DC., powdery mildew, Lawrence.

*Puccinia poae-sudeticae* (West.) Jorst., leaf rust, Pennington.

*Pythium debaryanum* Hesse, root necrosis, Custer.

*Pythium graminicola* Subr., root browning, Custer.

*Rhizoctonia solani* Kuehn, secondary root rot, Custer.

*Septoria norodum* Berk., leaf blotch, Lawrence.

*Ustilago striiformis* (West.) Niessl., stripe smut, Spink.

**POA PRATENSIS L., Kentucky Bluegrass.**

*Ascochyta sorghi* Sacc., leaf spot, Brookings.

*Entyloma dactylidis* (Pass.) Cif., spot smut, Brookings.

*Erysiphe graminis* DC., powdery mildew, Brookings.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Brookings.

*Helminthosporium sativum* Pam., King & Bakke, root rot, Custer.

*Helminthosporium vagans* Drechs., leaf spot, Brookings, common.

*Puccinia poae-sudeticae* (West.) Jorst., leaf rust, Brookings.

*Pythium debaryanum* Hesse, seedling blight, root necrosis, Brookings.

*Sclerophthora macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Brookings, Turner, widespread in favorable sites.

*Septoria macropoda* Pass. var. *septulata* (Ganz. Frag.) Sprague, leaf blotch, Brookings, Codington, Pennington.

*Urocystis agropyri* (Preuss) Schroet., flag smut, Brookings.

*Uromyces dactylidis* Otth, black leaf rust, Brookings.

*Ustilago striiformis* (West.) Niessl., stripe smut, Brookings, Kingsbury.

**POA SECUNDA Presl., Sandberg Bluegrass.**

*Entyloma dactylidis* (Pass.) Cif., spot smut, Harding.

*Puccinia rubigo-vera* (DC.) Wint., leaf rust, Meade.

*Selenophoma donacis* (Pass.) Sprague & A. G. Johnson var. *stomaticola* (Baeumler) Sprague & A. G. Johnson, selenophoma speckle, Butte.

*Septoria macropoda* Pass. var. *grandis* Sprague, leaf blotch, Butte.

*Uromyces dactylidis* Otth., black leaf rust, Meade.

**POA TRIVIALIS** L., Rough Bluegrass.

*Ustilago spiegazzinii* Hirsch., stem smut, Meade.

**PUCCINELLIA AIROIDES** (Nutt.) Wats. & Coult., Hitchc., Nuttall Alkali-grass.

*Selenophoma donacis* (Pass) Sprague & A. G. Johnson var. *stomaticola* (Baeumler)

Sprague & A. G. Johnson, selenophoma spot, Meade.

**REDFIELDIA FLEXUOSA** (Thurb.) Vasey, Blowout Grass.

*Pythium graminicola* Subr., root browning, Bennett.

*Rhizoctonia solani* Kuehn, secondary root rot, Bennett.

**SCHEDONNARDUS PANICULATUS** (Nutt.) Trel., Tumblegrass.

*Helminthosporium halodes* Drechs., secondary root rot, Walworth.

*Puccinia schedonnardi* Kell. & Swing., rust, Meade.

*Pythium graminicola* Subr., root browning, Pennington.

*Sclerophrthora macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Pennington.

**SCOLOCHLOA FESTUCACEA** (Willd.) Lk., Fluminea Grass.

*Puccinia coronata* Cda., crown rust, Spink.

*Septoria avenae* Frank, purple leaf blotch, Brown.

*Ustilago arthuri* Hume, stripe smut, Spink.

**SECALE CEREALE** L., Rye.

*Claviceps purpurea* (Fr.) Tul., ergot, Brookings, common.

*Colletotrichum graminicola* (Ces.) G. W. Wils., anthracnose, Hutchinson.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Brookings.

*Gloeosporium bolleyi* Sprague, root necrosis, Brookings.

*Helminthosporium sativum* Pam., King & Bakke, crown necrosis, Brookings.

*Puccinia graminis* Pers., stem rust, Brookings.

*Puccinia rubigo-vera* (DC.) Wint., leaf rust, Brookings.

*Pythium debaryanum* Hesse, root necrosis, Stanley, Brookings.

*Pythium graminicola* Subr., root browning, Kingsbury.

*Rhizoctonia solani* Kuehn, secondary root rot, Brookings.

*Septoria secalis* Prill. & Del., leaf spot, Hyde.

*Urocystis occulata* (Wallr.) Rabh., flag smut, Stanley.

*Xanthomonas translucens* (J.J.R.) Dowson var. *cerealis* (Hagb.) Wallin, bacterial blight, Brookings.

**SETARIA ITALICA** (L.) Beauv., Foxtail Millet.

*Fusarium oxysporum* (Schlecht.) ermend. Synd. & Hans., secondary root rot, Grant.

*Helminthosporium halodes* Drechs., secondary root rot, Grant.

*Helminthosporium sativum* Pam., King & Bakke, root rot, Brookings.

*Piricularia grisea* (Cke.) Sacc., gray leaf spot, Brookings.

*Pseudomonas syringae* v. Hall, bacterial eyespot, Brookings.

*Pythium debaryanum* Hesse, root necrosis, Grant, Brookings.

*Pythium graminicola* Subr., root browning, Grant, Brookings.

*Sclerospora graminicola* (Sacc.) Schroet., downy mildew, Brookings.

*Ustilago crameri* Koern, kernel smut, Moody.

**SETARIA LUTESCENS** (Weigel) F. T. Hubb, Yellow Bristlegrass.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Grant.

*Gloeosporium bolleyi*, Sprague, root necrosis, Grant.

*Piricularia grisea* (Cke.) Sacc., gray spot, Brookings.

*Pseudomonas syringae* v. Hall, bacterial eyespot, Brookings.

*Pythium debaryanum* Hesse, root necrosis, Grant.

*Pythium graminicola* Subr., root browning, Grant.

*Sclerophrthora macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Brookings, Brown, Clay.

*Sclerospora graminicola* (Sacc.) Schroet., downy mildew, Brookings.

*Ustilago neglecta* Niessl., smut, Brookings, common, widespread.

**SETARIA VIRIDIS (L.) Beauv., Green bristlegrass (Pigeon Grass).**

*Curvularia geniculata* (Tracy & Earle) Boed., secondary root rot, Roberts.  
*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Roberts.  
*Fusarium oxysporum* (Schlecht.) emend. Synd. & Hans., secondary root rot, Roberts.  
*Gloeosporium bolleyi* Sprague, root necrosis, Roberts.  
*Helminthosporium halodes* Drechs., leaf mold, secondary root rot, Roberts.  
*Helminthosporium sativum* Pam., King & Bakke, root rot, Tripp.  
*Helminthosporium setariae* Saw., leaf blotch, root rot, Campbell.  
*Helminthosporium turcicum* Pass., leaf blotch, secondary root rot, Roberts, Tripp.  
*Pseudomonas syringae* v. Hall, bacterial eyespot, Brookings.  
*Pythium debaryanum* Hesse, root necrosis, Brookings.  
*Pythium graminicola* Subr., root browning, Brookings.  
*Rhizoctonia solani* Kuehn, root rot, Brookings.  
*Sclerophthora macrospora* (Sacc.) Thirum. Shaw & Naras, downy mildew, Brookings.  
*Sclerospora graminicola* (Sacc.) Schroet., downy mildew, Brookings.  
Wheat streak mosaic, virus, Lyman.  
*Ustilago crameri*, Koern, smut, Moody.

**SITANION HYSTRIX (Nutt.) J.G. Sm., Squirreltail.**

*Puccinia graminis* pers., stem rust, Brookings.  
*Scolecoctrichum graminis* Fckl., leaf streak, Meade.

**SORGHASTRUM NUTANS (L.) Nash, Indian Grass.**

*Ellisiella caudata* (Pk.) Sacc., leaf spot on old leaves, Deuel.  
*Myriogenospora paspali* Atk., dwarfing and fasciation, Brookings, Deuel.  
*Phyllachora luteo-maculata* (Schw.) Orton, tar spot, Brookings.  
*Puccinia virgata* Ell. & Ev., rust, Brookings.

**SORGHUM VULGARE Pers., Sorghum.**

*Cercospora sorghi* Ell. & Ev., cercospora leaf spot, Brookings, in experimental plots.  
*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Brookings.  
*Fusarium moniliforme* Sheldon, secondary root rot, stalk rot, Brookings, Hyde.  
*Fusarium oxysporum* (Schlecht.) emend. Synd. & Hans., seed rot, Brookings.  
*Gloeosporium bolleyi*, Sprague, root necrosis, Brookings.  
*Helminthosporium turcicum* Pass., leaf spot, Brookings, Minnehaha.  
*Macrophomina phaseoli* (Maubl.) Ashby, charcoal rot, Brookings.  
*Pseudomonas andropogonia* (E. F. Sm.) Stapp, bacterial stripe, Brookings.  
*Pseudomonas syringae* v. Hall, holcus spot, Brookings, general widespread.  
*Pythium debaryanum* Hesse, root necrosis and seedling blight, Brookings.  
*Pythium graminicola* Subr., root browning, Brookings.  
*Rhizoctonia solani* Kuehn, secondary root rot, Brookings.  
*Sclerophthora macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Brookings,  
Turner, Lincoln, Hutchinson.

*Spacelotheca reiliiana* (Kuehn) Clint., head smut, Hutchinson.

*Spacelotheca sorghi* (Lk.) Clint., covered kernel smut, Brookings, Hughes, Hutchinson,

Lake, Stanley.

*Xanthomonas holicola* (Elliot) Starr & Burkhardt, bacterial streak, Brookings.

**SORGHUM VULGARE var. SUDANENSE (Piper) Hitchc., Sudan Grass.**

*Ascochyta sorghina* Sacc., leaf spot, Brookings.  
*Helminthosporium turcicum* Pass., leaf blight, Brookings.  
*Pseudomonas syringae* v. Hall, holcus spot, Brookings.  
*Pythium debaryanum* Hesse, root necrosis, Brookings.  
*Pythium graminicola* Subr., root browning, Brookings.  
*Sclerophthora macrospora* (Sacc.) Thirum., Shaw & Naras, downy mildew, Brookings,  
Kingsbury.

**SPARTINA GRACILIS Trin., Alkali Cordgrass.**

*Puccinia distichlidis* Ell. & Ev., rust, Pennington.  
*Puccinia peridermiospora* (Ell. & Tracy) Arth., rust, Meade.

**SPARTINA PECTINATA Lk., Prairie Cordgrass.**

*Claviceps purpurea* (Fr.) Tul., ergot, Brookings.  
*Puccinia distichlidis* Ell. & Ev., rust, Pennington.

*Puccinia peridermiospora* (Ell. & Tracy) Arth., rust, Brookings, Minnehaha.  
*Septoria spartinae* (Trel.) Sprague, leaf spot, Brown.  
*Stagonospora spartinicola* Sprague, streak spot, Brookings.  
*Uromyces acuminatus* Arth., rust, Brown.

**SPHENOPHOLIS INTERMEDIA** Rydb., Slender Wedgegrass.  
*Puccinia eatoniae* Arth., rust, Brookings.

**SPHENOPHOLIS OBTUSATA** (Michx.) Schribn.  
*Colletotrichum graminicola* (Ces.) G. W. Wils., anthracnose, Ziebach.  
*Puccinia eatoniae* Arth., rust, Meade.

**SPOROBOLUS ASPER** (Michx.) Kunth., Tall Dropseed.  
*Puccinia vilfae* Arth. & Holw., rust, Fall River.  
*Uromyces sporoboli* Ell. & Ev., rust, Hughes.

**SPOROBOLUS CRYPTANDRUS** (Torr.) A. Gray, Sand Dropseed.  
*Puccinia graminis* Pers., stem rust, Hughes.  
*Puccinia simulans* (Pk.) Barth., rust, Hughes, Fall River.  
*Pythium graminicola* Subr., root browning, Harding.  
*Pythium monosporum* Pringsh, root rot, Harding.  
*Rhizoctonia solani* Kuehn, secondary root rot, Harding.  
*Selenophoma donacis* (Pass.) Sprague & A.G. Johnson var. *stomaticola* (Baeumer)  
Sprague & A. G. Johnson, selenophoma spot, Harding.  
*Uromyces sporoboli* Ell. & Ev., rust, Brown.

**SPOROBOLUS NEGLECTUS** Nash  
*Sclerophthora macrospora* (Sacc.) Thirum. Shaw & Naras, downy mildew, Brookings.  
*Uromyces sporoboli* Ell. & Ev., rust, Brookings.  
*Ustilago vilfae* Wint., smut, Brookings.

**SPOROBOLUS VAGINIFLORUS** (Torr.) Wood, Annual Dropseed.  
*Uromyces sporoboli* Ell. & Ev., rust, Brookings.

**STIPA COMATA** Trin. & Rupr., Needle-and-thread.  
*Pseudomonas coronafaciens* (Elliot) F.L. Stevens var. *atropurpurea* (Reddy & Godkin) Stapp, chocolate spot, Harding.

*Puccinia stipae* Arth., rust, Spink.  
*Scolecothrichum graminis* Fckl., leaf streak, Clark.

*Selenophoma donacis* (Pass.) Sprague & A. G. Johnson, selenophoma spot, Harding,  
Perkins, Tripp.

*Septoria andropogonis* J.J. Davis f. sp. *sporobolicola* Sprague, brown leaf blotch,  
Campbell.

*Urocystis fraserii* Clint. & Zundel, smut, Hyde.

*Ustilago hypodytes* (Schlecht.) Fr., stem smut, Spink.

**STIPA ROBUSTA** Scribn., Sleepy grass.

*Puccinia scaber* (Ell. & Ev.) Barth., rust, Fall River.

**STIPA SPARTEA** Trin., Porcupine Grass.

*Puccinia stipae* Arth., rust, Brookings.

*Ustilago hypodytes* (Schlecht.) Fr., stem smut, Brookings.

*Ustilago minima* Arth., stem smut, Lincoln.

*Ustilago spegazzinii* Hirsch., stem smut, Brookings.

*Ustilago williamsii* (Griff.) Lavrov., stem smut, Lincoln.

**STIPA VIRIDULA** Trin., Green Needle Grass.

*Claviceps purpurea* (Fr.) Tul., ergot, Beadle.

*Colletotrichum graminicola* (Ces.) G.W. Wils., anthracnose, Brookings.

*Curvularia geniculata* (Tracy & Earle) Boed., secondary root rot, Brookings.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Hughes.

*Gloeosporium bolleyi* Sprague, root necrosis, Hughes.

*Helminthosporium sativum* Pam., King & Bakke, root rot, Brookings.

*Pseudomonas coronafaciens* (Elliot) F.L. Stevens var. *atropurpurea* (Reddy & Godkin) Stapp, chocolate spot, Harding, Brown.

*Puccinia scaber* (Ell. & Ev.) Barth., rust, Brookings, Pennington.

*Selenophoma donacis* (Pass.) Sprague & A.G. Johnson, selenophoma spot, Meade.

*Septoria andropogonis* J.J. Davis f. sp. *sporobolicola* Sprague, brown blotch, Meade.

*Septoria nodorum* Berk., glume blotch, Brookings.

*Septoria secalis* Prill & Del. var *stipae* Sprague, white leaf spot, Clay, Day.

*Ustilago hypodytes* (Schlecht.) Fr., stem smut, Brookings, Deuel, Kingsbury.

*Ustilago spegazzinii* Hirsch., stem smut, Brookings, Hand.

#### TRITICUM AESTIVUM L., Wheat.

Barley yellow dwarf, virus, Brookings, scattered and variable.

*Erysiphe graminis* DC., powdery mildew, Brookings.

*Fusarium acuminatum* (Ell. & Ev.) Wr., secondary root rot, Brookings, universal.

*Fusarium culmorum* (W.G. Sm.) Sacc., root rot, Brookings, rather uncommon.

*Fusarium graminearum* Schwabe, root rot and scab, Brookings, severe in eastern South Dakota in favorable years.

*Fusarium poae* (Pk.) Wr., secondary root rot, Brookings, Beadle.

*Gloeosporium bolleyi* Sprague, secondary root rot, Brookings.

*Helminthosporium sativum* Pam., King & Bakke, leaf blotch, root rot, Brookings.

*Olpidium brassicae* (Wor.) Dang., rootlet necrosis, Brookings, rather common but overlooked.

*Ophiobolus graminis* Sacc., take-all, Faulkton, Lyman, Tripp, distribution limited.

*Pseudomonas atrofaciens* (McCull.) F.L. Stevens, basal glume blotch, Brookings.

*Puccinia graminis* Pers., stem rust, Brookings, found in all parts of the state.

*Puccinia rubigo-vera* (DC) Wint., leaf rust, Brookings, found in all parts of the state.

*Puccinia striiformis* West., stripe rust, Bennett, Codington, Kingsbury.

*Pythium arrhenomanes* Drechs., root browning, Brookings, confused with *P. graminicola*.

*Pythium debaryanum* Hesse, root necrosis, universal.

*Pythium graminicola* Subr. root browning, Brookings, prevalent in all parts of the state.

*Pythium irregulare* Buis., root necrosis, Brookings.

*Pythium ultimum* Trow., root necrosis, Brookings, weakly parasitic on wheat.

*Rhizoctonia solani* Kuehn, secondary root rot, Brookings, usually rather common in early season.

*Septoria nodorum* Berk., glume blotch and leaf spot, Brookings.

*Septoria tritici* Rob. ex Desm., leaf blotch, Gregory, more common on winter wheat. Striate mosaic, virus, winter wheat area of state, less common than wheat streak mosaic.

Barley stripe mosaic, virus, Brookings, less common on wheat than barley.

*Tilletia foetida* (Wallr.) Liro, stinking smut, Beadle, Moody, Butte, seldom seen now.

*Ustilago nuda* (Jens.) Rostr., loose smut, Brookings, scattered throughout state.

Wheat streak mosaic, virus, winter wheat area of state; severe some seasons.

*Xanthomonas translucens* (J.J.R.) Dowson var. *cerealis* (Hagb.) Wallin, black chaff, Brookings, prevalence variable, but occurs in all parts of state.

#### TRITICUM DURUM Desf., Durum wheat.

*Fusarium graminearum* Schwabe, scab, root rot, Brookings.

*Helminthosporium sativum* Pam., King & Bakke, spot blotch, root rot, Brookings.

*Pseudomonas atrofaciens* (McCull.) F.L. Stevens, basal glume rot, Brookings.

*Puccinia graminis* Pers., stem rust, Brookings.

*Puccinia rubigo-vera* (DC.) Wint., leaf rust, Brookings.

*Pythium debaryanum* Hesse, root necrosis, Brookings.

*Pythium graminicola* Subr. root browning, Brookings.

*Rhizoctonia solani* Kuehn, secondary root rot, Brookings.

*Septoria nodorum* Berk., leaf spot, glume blotch, Codington.

*Xanthomonas translucens* (J.J.R.) Dowson var. *cerealis* (Hagb.) Wallin, black chaff, Brookings.

#### ZEA MAYS L., Corn.

*Bacterium stewartii* E.F. Sm., Stewarts wilt, Brookings.

*Diplodia zeae* Schw. Lev., ear and stalk rot, Brookings.

*Fusarium acuminatum* (Ell. & Ev.) Wr., seed rot and secondary root rot, common.

- Fusarium graminearum* Schwabe, seedling blight, ear and stalk rot, Brookings.  
*Fusarium oxysporum* (Schlecht.) emend. Snyd. & Hans., seed rot in cold wet soils, Brookings.  
*Helminthosporium turicum* Pass., leaf blight, Brookings, Turner, more common in southeastern counties.  
*Macrophomina phaseoli* (Maubl.) Ashby, charcoal rot, Beadle, Hamlin, Moody.  
*Nigrospora sphaerica* (Sacc.) Mason, stalk rot, Deuel, Brookings.  
*Physoderma maydis*, Miyabe, brown spot, rarely found; once in extreme southeastern part of state.  
*Pseudomonas syringae* v. Hall, holcus spot, Brookings, occurrence scattered and variable.  
*Puccinia sorghi* Schw., rust, Brookings, rather common on sweetcorn.  
*Pythium arrhenomanes* Drechs., root browning, Brookings, confused with *P. graminicola*.  
*Pythium debaryanum* Hesse, root necrosis, Brookings.  
*Pythium graminicola* Subr., root browning, Brookings.  
*Pythium ultimum* Trow., root necrosis, Brookings, Perkins.  
*Rhizoctonia solani* Kuehn, secondary root rot, Brookings, Perkins.  
*Sclerotinia macrospora* (Sacc.) Thirum. Shaw & Naras, downy mildew, Brookings,  
*Sclerotinia macrospora* (Sacc.) Thirum. Shaw & Naras, downy mildew, Brookings,  
Hutchinson, Minnehaha, Turner, Yankton.  
*Ustilago maydis* (DC.) Cda., boil smut, Brookings, common throughout state.

**ZIZANIA AQUATICA L. Annual Wildrice.**

*Entyloma lineatum* (Cke.) J.J. Davis, blister smut, Beadle.

# Part II

## PATHOGEN INDEX

### Fungus Diseases

#### ASCOHYTA BRACHYPODII

*Andropogon gerardi*

#### ASCOHYTA GRAMINEA

*Bouteloua curtipendula*

*Bouteloua gracilis*

*Buchloe dactyloides*

#### ASCOHYTA SORGI

*Agropyron desertorum*

*Buchloe dactyloides*

*Hierochloe odorata*

*Hordeum jubatum*

*Poa pratensis*

*Sorghum vulgare* var. *sudanense*

#### CERCOSPORA BOUTELOUAE

*Bouteloua curtipendula*

*Bouteloua gracilis*

#### CERCOSPORA SEMINALIS

*Buchloe dactyloides*

#### CERCOSPORA SORGI

*Echinochloa crusgalli*

#### CLAVICEPS PURPUREA

*Agropyron cristatum*

*Agropyron desertorum*

*Agropyron intermedium*

*Agropyron repens*

*Agropyron riparium*

*Agropyron smithii*

*Agropyron trachycaulum*

*Alopecurus pratensis*

*Avena sativa*

*Bromus inermis*

*Calamagrostis canadensis*

*Calamagrostis inexpansa*

*Elymus canadensis*

*Elymus macounii*

*Elymus virginicus*

*Festuca rubra*

*Hordeum vulgare*

*Phalaris arundinacea*

*Phleum pratense*

*Poa palustris*

*Secale cereale*

*Spartina pectinata*

*Stipa viridula*

#### COLLETOTRICHUM GRAMINICOLA

*Andropogon scoparius*

*Avena sativa*

*Calamagrostis inexpansa*

*Calamagrostis neglecta*

*Echinochloa crusgalli*

*Festuca ovina*

*Glyceria grandis*

*Panicum virgatum*

*Poa canbyi*

*Poa palustris*

*Secale cereale*

*Sphenopholis obtusata*

*Stipa viridula*

#### CURVULARIA GENICULATA

*Agropyron cristatum*

*Agropyron smithii*

*Agropyron trachycaulum*

*Bouteloua curtipendula*

*Bouteloua gracilis*

*Bromus inermis*

*Hordeum jubatum*

*Oryzopsis hymenoides*

*Poa compressa*

*Setaria viridis*

*Stipa viridula*

#### DIPLODIA ZEAE

*Zea mays*

#### ELLISIELLA CAUDATA

*Sorghastrum nutans*

#### ENTYLOMA DACTYLIDIS

*Poa pratensis*

*Poa secunda*

#### ENTYLOMA LINEATUM

*Zizania aquatica*

#### EPICHLOE TYPHINA

*Agropyron smithii*

*Elymus virginicus*

*Koeleria cristata*

#### ERYSIPHE GRAMINIS

*Agropyron repens*

*Agropyron smithii*

*Agropyron trachycaulum*

*Beckmannia syzigachne*

<i>Catabrose aquatica</i>	<i>Panicum miliaceum</i>
<i>Hordeum vulgare</i>	<i>Setaria italica</i>
<i>Poa alsodes</i>	<i>Setaria viridis</i>
<i>Poa canbyi</i>	<i>Sorghum vulgare</i>
<i>Poa interior</i>	<i>Zea mays</i>
<i>Poa palustris</i>	<b>FUSARIUM POAE</b>
<i>Poa pratensis</i>	<i>Avena sativa</i>
<i>Triticum aestivum</i>	<i>Bouteloua curtipendula</i>
<b>FUSARIUM ACUMINATUM</b>	<i>Bouteloua gracilis</i>
<i>Agropyron cristatum</i>	<i>Bromus inermis</i>
<i>Agropyron desertorum</i>	<i>Triticum aestivum</i>
<i>Agropyron intermedium</i>	<b>GLOEOSPORIUM BOLLEYI</b>
<i>Agropyron repens</i>	<i>Agropyron cristatum</i>
<i>Agropyron smithii</i>	<i>Agropyron desertorum</i>
<i>Agropyron trachycaulum</i>	<i>Agropyron repens</i>
<i>Andropogon gerardi</i>	<i>Agropyron smithii</i>
<i>Bouteloua curtipendula</i>	<i>Agropyron trachycaulum</i>
<i>Bouteloua gracilis</i>	<i>Bouteloua gracilis</i>
<i>Bromus inermis</i>	<i>Bromus inermis</i>
<i>Bromus japonicus</i>	<i>Bromus japonicus</i>
<i>Bromus tectorum</i>	<i>Elymus canadensis</i>
<i>Echinochloa crusgalli</i>	<i>Festuca octoflora</i>
<i>Elymus canadensis</i>	<i>Hordeum jubatum</i>
<i>Festuca octoflora</i>	<i>Hordeum pusillum</i>
<i>Hordeum jubatum</i>	<i>Panicum miliaceum</i>
<i>Hordeum pusillum</i>	<i>Secale cereale</i>
<i>Hordeum vulgare</i>	<i>Setaria lutescens</i>
<i>Oryzopsis hymenoides</i>	<i>Sorghum vulgare</i>
<i>Panicum capillare</i>	<i>Stipa viridula</i>
<i>Panicum milliaceum</i>	<i>Triticum aestivum</i>
<i>Panicum virgatum</i>	<b>HELMINTHOSPORIUM AVENAE</b>
<i>Poa pratensis</i>	<i>Avena sativa</i>
<i>Secale cereale</i>	<i>Koeleria cristata</i>
<i>Setaria lutescens</i>	<b>HELMINTHOSPORIUM BROMI</b>
<i>Setaria viridis</i>	<i>Bromus japonicus</i>
<i>Sorghum vulgare</i>	<b>HELMINTHOSPORIUM BUCHLOES</b>
<i>Stipa viridula</i>	<i>Bouteloua curtipendula</i>
<i>Triticum aestivum</i>	<i>Bouteloua gracilis</i>
<i>Zea mays</i>	<i>Buchloe dactyloides</i>
<b>FUSARIUM CULMORUM</b>	<b>HELMINTHOSPORIUM GRAMINEUM</b>
<i>Echinochloa crusgalli</i>	<i>Hordeum vulgare</i>
<i>Hordeum vulgare</i>	<b>HELMINTHOSPORIUM HALODES</b>
<i>Triticum aestivum</i>	<i>Schedonnardus paniculatus</i>
<b>FUSARIUM GRAMINEARUM</b>	<i>Setaria italica</i>
<i>Agropyron intermedium</i>	<i>Setaria viridis</i>
<i>Bromus tectorum</i>	<b>HELMINTHOSPORIUM SATIVUM</b>
<i>Echinochloa crusgalli</i>	<i>Agropyron cristatum</i>
<i>Hordeum vulgare</i>	<i>Agropyron desertorum</i>
<i>Triticum aestivum</i>	<i>Agropyron intermedium</i>
<i>Triticum durum</i>	<i>Agropyron repens</i>
<i>Zea mays</i>	<i>Agropyron smithii</i>
<b>FUSARIUM MONILIFORME</b>	<i>Agropyron trachycaulum</i>
<i>Sorghum vulgare</i>	<i>Avena fatua</i>
<b>FUSARIUM OXYSPORUM</b>	<i>Avena sativa</i>
<i>Avena sativa</i>	<i>Bouteloua gracilis</i>
<i>Bouteloua curtipendula</i>	<i>Bromus inermis</i>
<i>Bouteloua gracilis</i>	<i>Bromus tectorum</i>
<i>Bromus tectorum</i>	

<i>Dactylis glomerata</i>	<b>PHYLLACHORA DIPLOCARPA</b>
<i>Elymus canadensis</i>	<i>Distichlis stricta</i>
<i>Elymus junceus</i>	<b>PHYLLACHORA GRAMINIS</b>
<i>Hordeum jubatum</i>	<i>Agropyron repens</i>
<i>Hordeum vulgare</i>	<i>Calamagrostis epigeios</i>
<i>Oryzopsis hymenoides</i>	<i>Calamagrostis neglecta</i>
<i>Panicum capillare</i>	<i>Elymus canadensis</i>
<i>Poa pratensis</i>	<i>Elymus macounii</i>
<i>Secale cereale</i>	<i>Elymus virginicus</i>
<i>Setaria italica</i>	<i>Hystrix patula</i>
<i>Setaria viridis</i>	<i>Panicum virgatum</i>
<i>Stipa viridula</i>	<b>PHYLLACHORA</b>
<i>Triticum aestivum</i>	<b>LUTEO-MACULATA</b>
<i>Triticum durum</i>	<i>Andropogon gerardi</i>
<b>HELMINTHOSPORIUM SETARIAE</b>	<i>Sorghastrum nutans</i>
<i>Setaria viridis</i>	<b>PHYLLACHORA ORYZOPSISIDIS</b>
<b>HELMINTHOSPORIUM TERES</b>	<i>Oryzopsis asperifolia</i>
<i>Hordeum vulgare</i>	<b>PHYLLACHORA VULGATA</b>
<b>HELMINTHOSPORIUM</b>	<i>Muhlenbergia asperifolia</i>
<b>TRITICI-REPENTIS</b>	<i>Muhlenbergia cuspidata</i>
<i>Agropyron desertorum</i>	<i>Muhlenbergia mexicana</i>
<i>Agropyron repens</i>	<i>Muhlenbergia racemosa</i>
<i>Agropyron smithii</i>	<b>PHYSODERMA MAYDIS</b>
<i>Hordeum jubatum</i>	<i>Zea mays</i>
<b>HELMINTHOSPORIUM TURCICUM</b>	<b>PHYTOPHTHORA CACTORUM</b>
<i>Setaria viridis</i>	<i>Echinochloa crusgalli</i>
<i>Sorghum vulgare</i>	<b>PIRICULARIA GRISEA</b>
<i>Sorghum vulgare</i> var. <i>sudanense</i>	<i>Setaria italica</i>
<i>Zea mays</i>	<i>Setaria lutescens</i>
<b>HELMINTHOSPORIUM VAGANS</b>	<b>PUCCINIA AMPHICENA</b>
<i>Poa pratensis</i>	<i>Calamovilfa longifolia</i>
<b>HELMINTHOSPORIUM VICTORIAE</b>	<b>PUCCINIA ANDROPOGONIS</b>
<i>Avena sativa</i>	<i>Andropogon gerardi</i>
<b>HENDERSONIA CALAMOVILFAE</b>	<i>Andropogon scoparius</i>
<i>Calamovilfa longifolia</i>	<b>PUCCINIA ARISTIDAE</b>
<b>HENDERSONIA CRASTOPHILA</b>	<i>Distichlis stricta</i>
<i>Poa canbyi</i>	<b>PUCCINIA BARTHOLOMAEI</b>
<b>HENDERSONIA CULMICOLA</b>	<i>Bouteloua curtipendula</i>
<i>Oryzopsis asperifolia</i>	<i>Bouteloua gracilis</i>
<b>MACROPHOMINA PHASEOLI</b>	<b>PUCCINIA CORONATA</b>
<i>Sorghum vulgare</i>	<i>Agropyron intermedium</i>
<i>Zea mays</i>	<i>Agropyron repens</i>
<b>MYRIOPENOSPORA PASPALI</b>	<i>Agropyron trachycaulum</i>
<i>Sorghastrum nutans</i>	<i>Agropyron trichophorum</i>
<b>NAPICLADIUM ARUNDINACEUM</b>	<i>Avena fatua</i>
<i>Phragmites communis</i>	<i>Avena sativa</i>
<b>NIGROSPORA SPHAERICA</b>	<i>Beckmannia syzigachne</i>
<i>Zea mays</i>	<i>Elymus innovatus</i>
<b>OLPIDIUM BRASSICAE</b>	<i>Scolochloa festucacea</i>
<i>Triticum aestivum</i>	<b>PUCCINIA DISTICHLIDIS</b>
<b>OPHIOBOLUS GRAMINIS</b>	<i>Spartina gracilis</i>
<i>Triticum aestivum</i>	<i>Spartina pectinata</i>
<b>OVULARIA HORDEI</b>	<b>PUCCINIA EATONIAE</b>
<i>Phalaris arundinacea</i>	<i>Sphenopholis intermedia</i>
<b>OVULARIA PUSILLA</b>	<i>Sphenopholis obtusata</i>
<i>Bromus inermis</i>	<b>PUCCINIA ELLISIANA</b>
<b>PHYLLACHORA BOUTELOUAE</b>	<i>Andropogon gerardi</i>
<i>Bouteloua curtipendula</i>	<i>Andropogon scoparius</i>
<i>Bouteloua gracilis</i>	

**PUCCINIA EMACULATA***Panicum capillare***PUCCINIA GRAMINIS***Alopecurus pratensis**Agropyron repens**Agropyron riparium**Agropyron smithii**Agropyron trachycaulum**Agropyron trichophorum**Agropyron x triticum**Agrostis alba**Avena fatua**Avena sativa**Cinna arundinacea**Dactylis glomerata**Elymus canadensis**Elymus junceus**Elymus macounii**Elymus virginicus**Festuca octoflora**Hordeum jubatum**Hordeum pusillum**Hordeum vulgare**Koeleria cristata**Phleum pratense**Secale cereale**Sitanion hystrix**Sporobolus cryptandrus**Triticum aestivum**Triticum durum***PUCCINIA HORDEI***Hordeum vulgare***PUCCINIA KOELERIAE***Koeleria cristata***PUCCINIA LIATRIDIS***Koeleria cristata***PUCCINIA MAGNUSIANA***Phragmites communis***PUCCINIA MICRANTHA***Oryzopsis micrantha***PUCCINIA MONTANENSIS***Agropyron cristatum**Agropyron orientale**Agropyron panormitatum**Agropyron repens**Agropyron riparium**Agropyron smithii**Agropyron trachycaulum**Agropyron trichophorum**Elymus canadensis**Elymus virginicus***PUCCINIA PANICI***Panicum virgatum***PUCCINIA PERIDERMIOSPORA***Spartina gracilis**Spartina pectinata***PUCCINIA POAE-SUDETICAE***Catabrosa aquatica**Poa interior**Poa palustris**Poa pratensis***PUCCINIA PYGMAEA***Oryzopsis asperifolia***PUCCINIA RUBIGO-VERA***Agropyron repens**Agropyron smithii**Agropyron trachycaulum**Agropyron trichophorum**Elymus canadensis**Elymus virginicus**Glyceria grandis**Hordeum jubatum**Hordeum vulgare**Poa secunda**Secale cereale**Triticum aestivum**Triticum durum***PUCCINIA SCABER***Stipa robusta**Stipa viridula***PUCCINIA SCHEDONNARDI***Muhlenbergia asperifolia**Muhlenbergia cuspidata**Muhlenbergia racemosa**Schedonnardus paniculatus***PUCCINIA SESSILIS***Phalaris arundinacea***PUCCINIA SIMULANS***Sporobolus cryptandrus***PUCCINIA SORGHI***Zea mays***PUCCINIA STIPAE***Stipa comata**Stipa spartea***PUCCINIA STRIIFORMIS***Hordeum jubatum**Hordeum vulgare**Triticum aestivum***PUCCINIA TRIPSACI***Andropogon gerardi***PUCCINIA VEXANS***Bouteloua curtipendula**Bouteloua gracilis***PUCCINIA VILFAE***Sporobolus asper***PUCCINIA VIRGATA***Sorghastrum nutans***PYRENOCHAETA TERRESTRIS***Agropyron desertorum**Avena sativa**Bouteloua gracilis**Bromus inermis**Oryzopsis hymenoides**Panicum miliaceum*

**PYRENOPHORA BROMI***Bromus inermis***PYTHIUM ARRHENOMANES***Triticum aestivum**Zea mays***PYTHIUM DEBARYANUM***Agropyron cristatum**Agropyron desertorum**Agropyron intermedium**Agropyron repens**Andropogon gerardi**Andropogon scoparius**Avena sativa**Bouteloua gracilis**Bromus inermis**Dactylis glomerata**Elymus canadensis**Hordeum jubatum**Hordeum vulgare**Oryzopsis hymenoides**Panicum miliaceum**Poa palustris**Poa pratensis**Secale cereale**Setaria italica**Setaria lutescens**Setaria viridis**Sorghum vulgare**Sorghum vulgare var. sudanense**Triticum aestivum**Triticum durum**Zea mays***PYTHIUM GRAMINICOLA***Agropyron cristatum**Agropyron desertorum**Agropyron intermedium**Agropyron repens**Avena sativa**Bromus inermis**Bromus tectorum**Dactylis glomerata**Echinochloa crusgalli**Elymus junceus**Hordeum jubatum**Hordeum vulgare**Muhlenbergia racemosa**Panicum miliaceum**Poa palustris**Redfieldia flexuosa**Schedonnardus paniculatus**Secale cereale**Setaria italica**Setaria lutescens**Setaria viridis**Sorghum vulgare**Sorghum vulgare var. sudanese**Sporobolus cryptandrus**Triticum aestivum**Triticum durum**Zea mays***PYTHIUM IRREGULARE***Agropyron intermedium**Bouteloua gracilis**Triticum aestivum***PYTHIUM MONOSPERMUM***Sporobolus cryptandrus***PYTHIUM ULTIMUM***Agropyron intermedium**Triticum aestivum**Zea mays***RHIZOCTONIA ORYZAE***Andropogon scoparius***RHIZOCTONIA SOLANI***Agropyron cristatum**Agropyron intermedium**Agropyron repens**Agropyron smithii**Agropyron trachycaulum**Avena sativa**Bouteloua gracilis**Bromus inermis**Bromus japonicus**Bromus tectorum**Elymus canadensis**Elymus junceus**Festuca octoflora**Hordeum jubatum**Hordeum pusillum**Hordeum vulgare**Muhlenbergia racemosa**Oryzopsis hymenoides**Panicum virgatum**Phalaris arundinacea**Poa palustris**Redfieldia flexuosa**Secale cereale**Setaria viridis**Sorghum vulgare**Sporobolus cryptandrus**Triticum aestivum**Triticum durum**Zea mays***RHYNCHOSPORIUM****ORTHOSPORUM***Calamagrostis canadensis***RHYNCHOSPORIUM SECALIS***Agropyron repens**Bromus inermis**Elymus innovatus**Hordeum vulgare**Phalaris arundinacea***SCLEROPHTHORA MACROSPORA***Agropyron cristatum**Agropyron repens**Agropyron smithii*

*Agropyron trachycaulum*  
*Avena fatua*  
*Avena sativa*  
*Bromus inermis*  
*Bromus japonicus*  
*Digitaria ischaemum*  
*Digitaria sanguinalis*  
*Eragrostis ciliaris*  
*Eragrostis pectinacea*  
*Hordeum jubatum*  
*Hordeum vulgare*  
*Muhlenbergia asperifolia*  
*Panicum capillare*  
*Panicum miliaceum*  
*Panicum virgatum*  
*Phalaris arundinacea*  
*Phleum pratense*  
*Poa pratense*  
*Schedonardus paniculatus*  
*Setaria lutescens*  
*Setaria viridis*  
*Sorghum vulgare*  
*Sorghum vulgare* var. *sudanense*  
*Sporobolus neglectus*  
*Zea mays*

#### **SCLEROSPORA GRAMINICOLA**

*Panicum miliaceum*  
*Setaria italica*  
*Setaria lutescens*  
*Setaria viridis*

#### **SCOLOCOTRICHUM GRAMINIS**

*Agropyron repens*  
*Agropyron smithii*  
*Agropyron trachycaulum*  
*Agrostis alba*  
*Agrostis scabra*  
*Alopecurus aequalis*  
*Beckmannia syzigachne*  
*Calamagrostis canadensis*  
*Dactylis glomerata*  
*Elymus canadensis*  
*Festuca rubra*  
*Glyceria grandis*  
*Hordeum jubatum*  
*Hordeum pusillum*  
*Muhlenbergia racemosa*  
*Phleum pratense*  
*Poa canbyi*  
*Poa compressa*  
*Sitanion hystrix*  
*Stipa comata*

#### **SCOLOCOTRICHUM MACULICOLA**

*Phragmites communis*

#### **SELENOPHOMA BROMIGENA**

*Bromus inermis*  
*Bromus japonicus*

#### **SELENOPHOMA DONACIS**

*Agropyron smithii*  
*Agrostis scabra*

*Andropogon scoparius*  
*Avena sativa*  
*Oryzopsis hymenoides*  
*Panicum virgatum*  
*Phalaris arundinacea*  
*Phragmites communis*  
*Stipa comata*  
*Stipa viridula*

#### **SELENOPHOMA DONACIS VAR.**

##### **STOMATICOLA**

*Festuca ovina*  
*Koeleria cristata*  
*Poa secunda*  
*Puccinellia airoides*  
*Sporobolus cryptandrus*

#### **SELENOPHOMA EVERHARTII**

*Agrostis scabra*  
*Festuca octoflora*

#### **SEPTORIA AGROPYRINA**

*Agropyron repens*  
*Agropyron smithii*  
*Agropyron trachycaulum*  
*Elymus canadensis*  
*Elymus macounii*

#### **SEPTORIA ANDROPOGONIS**

*Andropogon gerardi*  
*Andropogon scoparius*  
*Bouteloua curtipendula*

#### **SEPTORIA ANDROPOGONIS F. SP.**

##### **SPOROBOLICOLA**

*Stipa comata*  
*Stipa viridula*

#### **SEPTORIA AVENAE**

*Calamagrostis neglecta*  
*Scolochloa festucacea*

#### **SEPTORIA AVENAE F. SP.**

##### **TRITICEA**

*Agropyron cristatum*  
*Agropyron repens*

#### **SEPTORIA CALAMAGROSTIDIS**

*Calamagrostis neglecta*

#### **SEPTORIA CALAMOVILFAE**

*Calamovilfa longifolia*

#### **SEPTORIA ELYMI**

*Agropyron repens*  
*Agropyron smithii*  
*Agropyron trachycaulum*  
*Elymus canadensis*

#### **SEPTORIA MACROPODA VAR.**

##### **GRANDIS**

*Poa arida*  
*Poa canbyi*  
*Poa secunda*

#### **SEPTORIA MACROPODA VAR.**

##### **SEPTULATA**

*Poa compressa*  
*Poa pratensis*

<b>SEPTORIA NODORUM</b>	<i>Elymus canadensis</i>
<i>Agropyron repens</i>	
<i>Agropyron smithii</i>	
<i>Agropyron x triticum</i>	
<i>Poa palustris</i>	
<i>Stipa viridula</i>	
<i>Triticum aestivum</i>	
<i>Triticum durum</i>	
<b>SEPTORIA PASSERINII</b>	
<i>Hordeum jubatum</i>	
<i>Hordeum vulgare</i>	
<b>SEPTORIA SECALIS</b>	
<i>Secale cereale</i>	
<b>SEPTORIA SECALIS VAR. STIPAE</b>	
<i>Stipa viridula</i>	
<b>SEPTORIA SPARTINAЕ</b>	
<i>Spartina pectinata</i>	
<b>SEPTORIA TENELLA</b>	
<i>Festuca octoflora</i>	
<i>Festuca rubra</i>	
<b>SEPTORIA TRITICI</b>	
<i>Triticum aestivum</i>	
<b>SOROSPORIUM CENCHRI</b>	
<i>Cenchrus pauciflorus</i>	
<i>Panicum capillare</i>	
<b>SOROSPORIUM CONSANGUINEUM</b>	
<i>Aristida basiramea</i>	
<b>SOROSPORIUM ELLISII</b>	
<i>Andropogon scoparius</i>	
<b>SPHACELOTHECA ANDROPOGONIS</b>	
<i>Andropogon gerardi</i>	
<b>SPHACELOTHECA DESTRUENS</b>	
<i>Panicum miliaceum</i>	
<b>SPHACELOTHECA OCCIDENTALIS</b>	
<i>Andropogon gerardi</i>	
<b>SPHACELOTHECA REILIANA</b>	
<i>Sorghum vulgare</i>	
<b>SPHACELOTHECA SORGHI</b>	
<i>Sorghum vulgare</i>	
<b>STAGNOSPORA ARENARIA</b>	
<i>Agropyron desertorum</i>	
<i>Andropogon scoparius</i>	
<b>STAGNOSPORA BROMI</b>	
<i>Bromus inermis</i>	
<b>STAGNOSPORA FOLIICOLA</b>	
<i>Phalaris arundinacea</i>	
<b>STAGNOSPORA SIMPLICOR</b>	
<i>Andropogon gerardi</i>	
<b>STAGNOSPORA SPARTINICOLA</b>	
<i>Spartina pectinata</i>	
<b>TILLETIA EARLEI</b>	
<i>Agropyron smithii</i>	
<b>TILLETIA FOETIDA</b>	
<i>Triticum aestivum</i>	
<b>TOLYPOSPIRUM BULLATUM</b>	
<i>Echinochloa crusgalli</i>	
<b>UROCYSTIS AGROPYRI</b>	
<i>Agropyron repens</i>	
<i>Agropyron smithii</i>	
	<b>UROCYSTIS FRASERII</b>
	<i>Stipa comata</i>
	<b>UROCYSTIS OCCULTA</b>
	<i>Secale cereale</i>
	<b>UROMYCES ACUMINATUS</b>
	<i>Spartina pectinata</i>
	<b>UROMYCES DACTYLIDIS</b>
	<i>Poa pratensis</i>
	<i>Poa secunda</i>
	<b>UROMYCES GRAMINICOLA</b>
	<i>Panicum virgatum</i>
	<b>UROMYCES HALSTEDII</b>
	<i>Leersia oryzoides</i>
	<b>UROMYCES SPOROBOLI</b>
	<i>Sporobolus asper</i>
	<i>Sporobolus cryptandrus</i>
	<i>Sporobolus vaginiflorus</i>
	<b>USTILAGO ARTHURI</b>
	<i>Sclerochloa festucacea</i>
	<b>USTILAGO AVENAE</b>
	<i>Arrhenatherum elatius</i>
	<i>Avena sativa</i>
	<i>Hordeum vulgare</i>
	<b>USTILAGO BULLATA</b>
	<i>Agropyron cristatum</i>
	<i>Agropyron trachycaulum</i>
	<i>Bromus commutatus</i>
	<i>Bromus erectus</i>
	<i>Bromus japonicus</i>
	<i>Bromus tectorum</i>
	<i>Hordeum jubatum</i>
	<b>USTILAGO CRAMERI</b>
	<i>Setaria italica</i>
	<i>Setaria viridis</i>
	<b>USTILAGO CRUS-GALLI</b>
	<i>Echinochloa crusgalli</i>
	<b>USTILAGO DAVISII</b>
	<i>Glyceria fluitans</i>
	<b>USTILAGO HORDEI</b>
	<i>Avena sativa</i>
	<i>Hordeum vulgare</i>
	<b>USTILAGO HYPODYTES</b>
	<i>Stipa comata</i>
	<i>Stipa spartea</i>
	<i>Stipa viridula</i>
	<b>USTILAGO LONGISSIMA</b>
	<i>Glyceria grandis</i>
	<b>USTILAGO MACROSPORA</b>
	<i>Elymus canadensis</i>
	<i>Phalaris arundinacea</i>
	<b>USTILAGO MAYDIS</b>
	<i>Zea mays</i>
	<b>USTILAGO MINIMA</b>
	<i>Stipa spartea</i>

<b>USTILAGO NEGLECTA</b>	<b>USTILAGO SPERMOPHORA</b>
<i>Bouteloua simplex</i>	<i>Eragrostis reptans</i>
<i>Setaria lutescens</i>	<b>USTILAGO STRIIFORMIS</b>
<b>USTILAGO NUDA</b>	<i>Agropyron trachycaulum</i>
<i>Hordeum vulgare</i>	<i>Bromus inermis</i>
<i>Triticum aestivum</i>	<i>Elymus canadensis</i>
<b>USTILAGO SPEGAZZINII</b>	<i>Elymus macounii</i>
<i>Agropyron repens</i>	<i>Hordeum jubatum</i>
<i>Agropyron smithii</i>	<i>Poa palustris</i>
<i>Poa trivialis</i>	<i>Poa pratensis</i>
<i>Stipa spartea</i>	<b>USTILAGO SYNTHERISMAE</b>
<i>Stipa viridula</i>	<i>Digitaria ischaemum</i>
<b>USTILAGO SPEGAZZINII VAR.</b>	<i>Digitaria sanguinalis</i>
<b>AGRESTIS</b>	<b>USTILAGO VILFAE</b>
<i>Agropyron smithii</i>	<i>Sporobolus neglectus</i>
<i>Elymus virginicus</i>	<b>USTILAGO WILLIAMSII</b>
	<i>Stipa spartea</i>
	<b>Bacterial Diseases</b>
<b>BACTERIUM STEWARTII</b>	<b>PSEUDOMONAS STRIAFACIENS</b>
<i>Zea mays</i>	<i>Avena sativa</i>
<b>PSEUDOMONAS ANDROPOGONIS</b>	<b>PSEUDOMONAS SYRINGAE</b>
<i>Sorghum vulgare</i>	<i>Panicum miliaceum</i>
<b>PSEUDOMONAS ATROFACIENS</b>	<i>Setaria lutescens</i>
<i>Triticum aestivum</i>	<i>Setaria viridis</i>
<i>Triticum durum</i>	<i>Sorghum vulgare</i>
<b>PSEUDOMONAS CORONAFACIENS</b>	<i>Sorghum vulgare</i> var. <i>sudanese</i>
<i>Avena sativa</i>	<i>Zea mays</i>
<b>PSEUDOMONAS CORONAFACIENS</b>	<b>XANTHOMONAS HOLCICOLA</b>
<b>VAR. ATROPURPUREA</b>	<i>Sorghum vulgare</i>
<i>Agropyron repens</i>	<b>XANTHOMONAS TRANSLUCENS</b>
<i>Agropyron smithii</i>	<b>VAR. CEREALIS</b>
<i>Agropyron trachycaulum</i>	<i>Agropyron intermedium</i>
<i>Bromus inermis</i>	<i>Agropyron repens</i>
<i>Elymus canadensis</i>	<i>Agropyron smithii</i>
<i>Stipa comata</i>	<i>Bromus inermis</i>
<i>Stipa viridula</i>	<i>Hordeum vulgare</i>
<b>PSEUDOMONAS PANICI</b>	<i>Secale cereale</i>
<i>Panicum miliaceum</i>	<i>Triticum aestivum</i>
	<i>Triticum durum</i>

## Virus Diseases

<b>AGROPYRON MOSAIC</b>	<i>Triticum aestivum</i>
<i>Agropyron repens</i>	<b>BROME MOSAIC</b>
<b>BARLEY STRIPE MOSAIC</b>	<i>Bromus inermis</i>
<i>Hordeum vulgare</i>	<b>STRIATE MOSAIC</b>
<i>Triticum aestivum</i>	<i>Triticum aestivum</i>
<b>BARLEY YELLOW DWARF</b>	<b>WHEAT STREAK MOSAIC</b>
<i>Avena sativa</i>	<i>Setaria viridis</i>
<i>Hordeum vulgare</i>	<i>Triticum aestivum</i>

## LITERATURE CITED

- Arthur, J. C. 1934. *Manual of rusts in the United States and Canada*. Purdue Research Foundation, Lafayette, Indiana.
- Fischer, G. W. *Manual of the North American Smut Fungi*. Roland Press. 343 p.
- Sprague, R. and G. W. Fischer. 1952. *Check list of the diseases of grasses and cereals in the Western United States and Alaska*. Washington Agr. Exp. Sta. Cir. 194.
- . 1960. *Index of plant diseases in the United States*. U. S. Dept. of Agric. Handbook 165.

## INDEX TO COMMON NAMES OF HOSTS

Hosts are indexed here according to their most frequently used common name; some have no common name.

Alkali cordgrass .....	15	Crabgrass .....		Proso millet .....	12
American sloughgrass .....	6	hairy .....	9	Reed canarygrass .....	12
Annual three-awn .....	6	smooth .....	9	Red top .....	5
Annual wildrice .....	18	Desert saltgrass .....	9	Rice cutgrass .....	11
Barley .....		Dropseed .....		Rice grass .....	
common .....	11	annual .....	16	indian .....	12
foxtail .....	10	tall .....	16	littleseed .....	12
little .....	10	sand .....	16	woodland .....	12
Barnyard grass .....	9	Fescue .....		Rye .....	14
Bluegrass .....		red .....	10	Scratchgrass .....	11
canbyi .....	13	sheep .....	10	Sleepygrass .....	16
canada .....	13	sixweeks .....	10	Sorghum .....	15
fowl .....	13	Field sandbur .....	8	Squirreltail .....	15
inland .....	13	Flaminea grass .....	14	Stinkgrass .....	15
kentucky .....	13	Foxtail .....		Stout woodreed .....	8
plains .....	13	meadow .....	5	Sweetgrass .....	10
rough .....	14	shortawn .....	5	Sudangrass .....	15
sandberg .....	13	Foxtail millet .....	14	Switchgrass .....	12
Bluejoint .....	8	Gramma .....		Tall oatgrass .....	6
Bluestem .....		blue .....	7	Ticklegrass .....	5
big .....	5	mat .....	7	Tumblegrass .....	14
little .....	6	side-oats .....	6	Wheat .....	
Blowoutgrass .....	14	Green needlegrass .....	16	common .....	17
Bottlebrush .....	11	Indian grass .....	16	durum .....	17
Bristlegrass .....		Junegrass .....	11	Wheatgrass .....	
green .....	15	Mannagrass .....		crested .....	3
yellow .....	14	american .....	10	desert .....	3
Brome .....		Muhly .....		hybrid .....	5
erect .....	7	marsh .....	11	intermediate .....	3
smooth .....	7	plains .....	11	oriental .....	4
Brookgrass .....	8	scratcgrass .....	11	quack .....	4
Buffalograss .....	8	wirestem .....	11	slender .....	5
Chess .....		Needle-and-thread .....	16	stiffhair .....	5
downy .....	8	Northern reedgrass .....	8	streambank .....	4
hairy .....	7	Nuttall alkali-grass .....	14	western .....	4
japanese .....	8	Oat .....		Wedgegrass .....	
Common reed .....	13	common .....	6	slender .....	16
Cordgrass .....		wild .....	6	Wild-rye .....	
alkali .....	15	Orchardgrass .....	8	canada .....	9
prairie .....	15	Porcupine grass .....	16	macoun .....	9
Corn .....	17	Prairie sandreed .....	8	russian .....	9
				virginia .....	9
				Witch-grass .....	12