

South Dakota State University

Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange

SDSU Extension Fact Sheets

SDSU Extension

1976

Pruning Spruce and Firs

Cooperative Extension South Dakota State University

Follow this and additional works at: https://openprairie.sdstate.edu/extension_fact

Recommended Citation

South Dakota State University, Cooperative Extension, "Pruning Spruce and Firs" (1976). *SDSU Extension Fact Sheets*. 712.

https://openprairie.sdstate.edu/extension_fact/712

This Fact Sheet is brought to you for free and open access by the SDSU Extension at Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange. It has been accepted for inclusion in SDSU Extension Fact Sheets by an authorized administrator of Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange. For more information, please contact michael.biondo@sdstate.edu.

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



For current policies and practices, contact SDSU Extension

Website: extension.sdstate.edu

Phone: 605-688-4792

Email: sdsu.extension@sdstate.edu

SDSU Extension is an equal opportunity provider and employer in accordance with the nondiscrimination policies of South Dakota State University, the South Dakota Board of Regents and the United States Department of Agriculture.



Pruning Spruce and Firs

**Cooperative Extension Service
South Dakota State University
U. S. Department of Agriculture**

Pruning Spruce and Firs



Larry Helwig, Extension forester

Your evergreens will add beauty and enhance your property's value. But don't sit back and expect them to do these jobs by themselves.

By proper pruning you can fit an evergreen exactly to your needs, and you can strengthen it and make it live longer, too. But you must use the right pruning procedures for the evergreen you're shaping.


Evergreens can be grouped according to their growth patterns, and each group requires slightly different pruning techniques.

This fact sheet covers pruning of the spruces and firs. Companion fact sheets treat the pines and the junipers, arborvitae and yews. With any evergreen, begin pruning when it is young. Otherwise, you may one day have to butcher it.



First, make sure it's a spruce or fir

Both spruces and firs bear their needles singly. The fir has flat needles and no pegs where the needles are attached; the spruce has square needles and pegs.



What style do you prefer ?

A sheared spruce or fir is one where you cut off all tips periodically. The tree has a formal, tight appearance.



Sheared

A pruned spruce or fir is selectively snipped; some individual branches or branchlets are partially removed periodically. The tree has a more feathery, natural look than a sheared one.



Pruned

A constantly sheared evergreen will develop a tight 1- to 2-inch crust or shell of green growth outside of a central core of brown but living branches. All tips that you snip off will be visible. And if the shell of green is damaged, it takes a longer time for green foliage to cover the damaged area. Because of this, we don't recommend the shearing of individual trees.



Untrimmed

An evergreen which is only pruned will be more open and will have green foliage from the trunk to the outside branch tips. The pruned tips will be hidden by other branches.

Some people never touch their spruces and firs with a pruning knife or shears. This works well, if the tree has room to spread and is strong. Sometimes corrective pinching of the tender, light green growth in the spring with the thumb and forefinger is all that's necessary. In the firs and spruces, a limb that is larger than your finger will not be replaced by the tree. So exercise caution in trimming.

If you have one that's outgrown its space, or that's damaged, or that you're using for hedge or edging, you must trim. Check your evergreens every year. October to April is the best time for trimming spruces and firs, but timing is not as critical as with the pines.

October									
						1	2		
3	4	5	6	7	8	9			
10	11	12	13	14	15	16	18		
17	18	19	20	21	22	23			
24	25	26	27	28	29	30			

April									
						1	2	3	
4	5	6	7	8	9	10			
11	12	13	14	15	16	17			
18	19	20	21	22	23	24			
25	26	27	28	29	30				

To achieve a full-foliaged, well-balanced tree

By limiting the height growth of the very top leader to 9 or 12 inches you will bring the whorls of branches closer together.

Just cut, above a bud. Another whorl will develop underneath the cut.

Removing individual lateral branches then balances the tree. Stay within the current year's growth (it's the growth that has buds on it). Find a bud and prune about $\frac{1}{4}$ inch outside of it.

A short-handled pruning knife or a pruning shears as illustrated works best. If using a shears, keep the flat blade next to the stem.



Blade of shears is next to main branch. Always cut from the side to remove a branch at a crotch.



If the tree has a broken top

It's not unusual for a tree to lose its top (or leader). Select the largest lateral of the nearest whorl and gently bend it up and tie to an attached brace. Use cloth ties (nylon hose is dark, soft, and elastic). Wire fasteners may girdle the growing tree. Cut back the other lateral branches by about half so that they do not compete with the shoot you have selected.



If the tree's top was broken for some time before you get to it, you may have a double or multiple leader developing. Remove the leaders farthest from the central axis.

Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the USDA. Hollis D. Hall, Director of Cooperative Extension Service, South Dakota State University, Brookings. Educational programs and materials offered without regard to age, race, color, religion, sex, handicap or national origin. An Equal Opportunity Employer.
File: 7.6-3-2M-76-2M-76-2M-77-2,000 reprinted at estimated 6.6 cents each-3-79mb-3808A

Cooperative Extension Service
U.S. Department of Agriculture
South Dakota State University
Brookings, South Dakota 57007

Postage and Fees Paid
U.S. Department of Agriculture
AGR 101



OFFICIAL BUSINESS
Penalty for Private Use \$300

Pruning Spruce and Firs



Cooperative Extension Service
South Dakota State University
U. S. Department of Agriculture