

South Dakota State University
**Open PRAIRIE: Open Public Research Access Institutional
Repository and Information Exchange**

Extension Extra

SDSU Extension

1-1-2006

Feeding Soy Hulls and Dried Distillers Grain with Solubles to Sheep

Jeff Held

South Dakota State University

Follow this and additional works at: http://openprairie.sdstate.edu/extension_extra

Recommended Citation

Held, Jeff, "Feeding Soy Hulls and Dried Distillers Grain with Solubles to Sheep" (2006). *Extension Extra*. Paper 75.
http://openprairie.sdstate.edu/extension_extra/75

This Other is brought to you for free and open access by the SDSU Extension at Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange. It has been accepted for inclusion in Extension Extra by an authorized administrator of Open PRAIRIE: Open Public Research Access Institutional Repository and Information Exchange. For more information, please contact michael.biondo@sdstate.edu.



Feeding Soy Hulls and Dried Distillers Grain with Solubles to Sheep

Jeff Held, SDSU Extension Sheep Specialist

Co-products from corn and soybean processing industries can be excellent sources of nutrients for livestock. With the growth of ethanol production from corn and increasing number of soybeans processed in the Upper Midwest, livestock producers have many nutrient-dense co-product feed resources readily available. In the Upper Midwest distillers dried grain with solubles (DDGS) derived from ethanol production and soybean hulls (SH) from soybean processing have created the greatest interest to sheep producers.

Interestingly these co-products are both high fiber-low starch in content, much like forages. Yet DDGS is classified as a protein feed and SH could be classified as an energy feedstuff.

As often found with co-product feed ingredients, these have unique nutrient profiles and physical characteristics that require attention when formulating diets. They often can serve multiple roles in diet formulation: energy, protein, or forage. Many producers are simply unfamiliar with the effect of DDGS or SH on diet palatability, level of performance, cost effectiveness, and health status.

For sheep producers the key attractions of these feeds are cost effectiveness, animal performance, and reduced labor.

The key physical characteristic that offers diet formulation flexibility is the high fiber and low starch content. Both DDGS and SH are energy-dense feeds that can safely replace a portion of traditional forage or grain in diets, since the high fiber-low starch physical characteristics have lower rumen acidosis potential compared to grain-based diets.

Cost per pound of nutrient will influence their inclusion into sheep diets. Economically, DDGS is currently best suited to serve as a protein feed since it competes most

favorably with traditional protein feeds like soybean meal. Pelleted SH can be an economical source of forage or serve as an energy feedstuff substituting for corn or barley. For nutrient content, see Table 1.

Using soybean hulls in sheep diets

Using pelleted SH for mature breeding ewes as a forage source has increased dramatically across the Upper Midwest during the past 5 years, especially in drought stricken areas.

Recommendations for SH use in ewe diets have been based on research at the SDSU sheep research unit where non-pregnant mature ewes were fed slightly above maintenance requirement by offering 4 lb of pelleted soybean hulls and 1 lb of long-stemmed alfalfa hay daily. Ewes were fed this diet for 60 days with no ill health, and ewe body weight change was a positive 0.1 lb per day. (In beef and dairy cattle studies, recommendations are to limit soybean hulls to 40% of dry matter intake due to concern for bloat.)

Studies with growing lambs fed SH based diets have reported excellent growth performance and palatability. Soy

Table 1. Nutrient content**

	DDGS	Corn	SH
Crude protein	29	9	12
TDN	90	88	77
Fat	10.6	4.3	2.6
Calcium	0.28	0.02	0.55
Phosphorus	0.79	0.30	0.17
Magnesium (ppm)	19	7.9	10
Copper (ppm)	6	2.5	17.8

**Dry matter basis

hulls stimulate intake; studies demonstrate that intake increases linearly with higher levels of soy hulls.

Although SH is a high fiber feedstuff, the rate and extent of fermentation in the rumen is rapid, leading to increased rate of passage; it is these features that contribute to increased feed intake. Growing lambs fed a diet containing 70% SH had a reported dry matter intake equivalent to 4.5% of animal body weight. Compared to more traditional corn based diets, lamb dry matter intake of SH is often increased by 0.5 to 1.0% of animal body weight.

Using DDGS in sheep diets

Ewe lactation studies using DDGS compared to soybean meal as a protein supplement show no difference in ewe body condition score or suckling lamb gain. A lactation study using DDGS to replace 2/3 of the grain (corn), equating to 25% of the diet, improved triplet-reared lamb growth performance by 12%. There was no difference in single and twin reared lambs.

Studies using DDGS in lamb growing-finishing diets are scarce. This lack of DDGS research could be related to current general lamb feeding practices: Lamb rations are generally offered ad-lib in self-feeders with maximum expected gain. Pelleted lamb protein supplements containing protein, minerals, vitamins, and feed additives are commonly used to reduce feed ingredient sorting and refusal.

However, the high cost of commercially manufactured lamb protein supplements has created producer interest in inclusion of DDGS and other co-products in lamb diets. Since the level of crude protein in DDGS is approximately 40% lower than in soybean meal (30 vs. 48% CP), the cost per unit of crude protein will need to favor DDGS to substitute for soybean meal in mixed lamb diets.

Even when the economics favor DDGS the high inclusion rate adds considerably more phosphorus to the diet, creating greater diet formulation challenges.

Table 2. Feeding guidelines ~ ewe rations (200-lb ewes). Numbers in parentheses () are for lactating ewes.

Ingredient	Traditional				Limited Forage		
	Ad-libitum		(Limit Fed)		A	B	C
Alfalfa \$80/ton	8 (8)		6 (8)		3 (4)	2 (3)	1 (2)
Grass hay \$60/ton		8 (8)		6			
Corn \$1/80/bu	1 (2)	1 (1)	1 (2)	1	(1)	(1)	(1)
DDGS \$65/ton		(1)			1 (2)	1 (2)	1 (2)
Soyhulls \$80/ton					2 (2)	3 (3)	4 (4)

Your decision will be based on: **Cost - Equipment - Convenience**

Limit Forage Rations: ≤ 20% DDGS

At least 1 lb long-stemmed forage with soyhulls

South Dakota State University is an Affirmative Action/Equal Opportunity Employer and offers all benefits, services, education, and employment without regard for race, color, creed, religion, national origin, ancestry, citizenship, age, gender, sexual orientation, disability, or Vietnam Era veteran status.

ExEx2052, 2006. Access at <http://agbiopubs.sdstate.edu/articles/ExEx2052.pdf>